# FDb.InfiniumMethylation.hg18

October 7, 2014

getPlatform Retrieve annotations for HumanMethylation27 or HumanMethylation450 chips

## Description

FDb.InfiniumMethylation.hg18 is an omnibus package that merges all of the existing Illumina Infinium DNA methylation probe annotations into one FDb. However, most users will be analyzing one of the two chips at any given time. The utility functions getPlatform(platform), get450k(), and get27k() retrieve a compact GenomicRanges form of the annotations for the requested platform.

# Author(s)

Tim Triche, Jr.

# Examples

hm450.hg18 <- getPlatform(platform=HM450, genome=hg18)
show(hm450.hg18)</pre>

hm27 <- get27k() show(hm27) hg18.islands

#### Description

This GRanges object was constructed from the data provided at http://rafalab.jhsph.edu/CGI/model-based-cpg-islands-hg18.txt

Additional species and software to run the model can be found at http://rafalab.jhsph.edu/CGI/index.html

#### Author(s)

Tim Triche, Jr. (with data from Wu, Irizarry, and Feinberg)

#### Examples

```
data(hg18.islands)
split(hg18.islands, seqnames(hg18.islands))
```

miscData

miscellaneous data used in the construction of this FeatureDb package

### Description

In the subdirectory inst/build/, there are several scripts that rebuild this FeatureDb from scratch. A handful of intermediate results from dbSNP and comparison of existing datasets are required to patch small gaps in the Illumina manifests. These datasets supply those intermediate results.

### Author(s)

Tim Triche, Jr.

#### Examples

```
data(hm450.rsProbes)
data(hm27.SNP.colors)
```

FDb.InfiniumMethylation.hg18

Annotation package for Illumina Infinium DNA methylation probes

#### Description

This package loads one or more FeatureDb objects. Such FeatureDb objects are an R interface to prefabricated databases contained by this package. In the case of the Infinium methylation FDb, it is FDb.InfiniumMethylation.hg18 (for the moment; hg18 may come later, or alternatively users can use liftOver() from rtracklayer to do it).

#### Author(s)

Tim Triche, Jr.

#### See Also

features makeFeatureDbFromUCSC import.bed getPlatform get450k get27k

# Examples

## load the library
library(FDb.InfiniumMethylation.hg18)

## list the contents that are loaded into memory
ls(package:FDb.InfiniumMethylation.hg18)

## show the db object that is loaded by calling its name
FDb.InfiniumMethylation.hg18

## extract features for use in constructing SummarizedExperiments
## or comparing chip features against other data (e.g. ChIP-seq)
InfiniumMethylation <- features(FDb.InfiniumMethylation.hg18)</pre>

## its much more convenient to address ranges by their probe ID: names(InfiniumMethylation) <- values(InfiniumMethylation)\$name</pre>

## wed prefer if R would stop us from comparing across assemblies: met <- metadata(FDb.InfiniumMethylation.hg18) ## need to fetch genome genome(InfiniumMethylation) <- met[which(met[,name]==Genome),value]</pre>

```
## last but not least, sort the probes in genomic order
InfiniumMethylation <- sort(InfiniumMethylation)
show(InfiniumMethylation)
```

```
## Example: probes that overlap Irizarrys HMM CpG islands
data(hg18.islands)
CGI.probes <- subsetByOverlaps(InfiniumMethylation, hg18.islands)</pre>
```

```
## The same approach works to overlap (e.g.) ChIP-seq peaks or DNAseI footprints
## Much more data is available via GenomicFeatures and rtracklayer:
help(makeFeatureDbFromUCSC)
```

4

# Index

\*Topic data FDb.InfiniumMethylation.hg18, 3 hg18.islands, 2miscData, 2 \*Topic package FDb.InfiniumMethylation.hg18,3 FDb.InfiniumMethylation.hg18,3 FDb.InfiniumMethylation.hg18-package (FDb.InfiniumMethylation.hg18), 3 features, 3 get27k, 3 get27k (getPlatform), 1 get450k, 3 get450k (getPlatform), 1 getPlatform, 1, 3 hg18.islands, 2hg18ToHg19 (miscData), 2 hm27.controls(miscData), 2 hm27.SNP.colors(miscData), 2 hm450.controls(miscData), 2 hm450k.rsProbes (miscData), 2 import.bed, 3 makeFeatureDbFromUCSC, 3

miscData,2