

Reactome Pathway Analysis

Guangchuang Yu

November 18, 2014

Contents

1	Introduction	1
2	Pathway Enrichment Analysis	1
2.1	Visualize enrichment result	2
2.2	Comparing enriched reactome pathways among gene clusters with clusterProfiler	3
3	Gene Set Enrichment Analysis	4
3.1	Visualize GSEA result	5
4	Pathway Visualization	6
5	Session Information	6

1 Introduction

This package is designed for reactome pathway-based analysis. Reactome is an open-source, open access, manually curated and peer-reviewed pathway database.

2 Pathway Enrichment Analysis

Enrichment analysis is a widely used approach to identify biological themes. Here, we implement hypergeometric model to assess whether the number of selected genes associated with reactome pathway is larger than expected. The p values were calculated based the hypergeometric model [1],

```
require(DOSE)
data(geneList)
de <- names(geneList)[abs(geneList) > 1]
head(de)
```

```
## [1] "4312" "8318" "10874" "55143" "55388" "991"

require(ReactomePA)
x <- enrichPathway(gene = de, pvalueCutoff = 0.05,
  readable = T)

## Loading required package: org.Hs.eg.db
## Warning in grep(org, p): input string 1 is invalid in this locale

head(summary(x))
```

ID	Description	GeneRatio	BgRatio
1474244	Extracellular matrix organization	59/584	266/6958
69205	G1/S-Specific Transcription	12/584	15/6958
69278	Cell Cycle, Mitotic	83/584	489/6958
1640170	Cell Cycle	90/584	554/6958
1442490	Collagen degradation	22/584	60/6958
113510	E2F mediated regulation of DNA replication	16/584	34/6958

```
##
##          pvalue p.adjust  qvalue
## 1474244 1.33e-12 3.50e-10 2.80e-10
## 69205   3.95e-11 5.20e-09 4.16e-09
## 69278   1.27e-10 1.11e-08 8.92e-09
## 1640170 2.11e-10 1.39e-08 1.11e-08
## 1442490 9.71e-10 5.11e-08 4.09e-08
## 113510  2.62e-09 1.15e-07 9.19e-08
##
## 1474244
## 69205
## 69278
## 1640170 CDC45/CDCA8/MCM10/CDC20/FOXM1/KIF
## 1442490
## 113510
##          Count
## 1474244      59
## 69205       12
## 69278       83
## 1640170      90
## 1442490      22
## 113510      16
```

2.1 Visualize enrichment result

We implement bar plot, enrichment map and category-gene-network for visualization. It is very common to visualize the enrichment result in bar or pie chart. We believe the pie chart is misleading and only provide bar chart.

```
barplot(x, showCategory = 8)
```




Figure 1: barplot of Reactome Pathway enrichment result.

Enrichment map can be visualized by `enrichMap` :

```
enrichMap(x)
```

In order to consider the potentially biological complexities in which a gene may belong to multiple annotation categories, we developed `cnetplot` function to extract the complex association between genes and diseases.

```
cnetplot(x, categorySize = "pvalue", foldChange = geneList)
```

2.2 Comparing enriched reactome pathways among gene clusters with clusterProfiler

We have developed an R package *clusterProfiler* [2] for comparing biological themes among gene clusters. *ReactomePA* works fine with *clusterProfiler* and can compare biological themes at reactome pathway perspective.

```
require(clusterProfiler)
data(gcSample)
res <- compareCluster(gcSample, fun = "enrichPathway")

## Warning in grep(org, p): input string 1 is invalid in this locale

plot(res)
```



3 Gene Set Enrichment Analysis

```
y <- gsePathway(geneList, nPerm = 100, minGSSize = 120,
               pvalueCutoff = 0.05, pAdjustMethod = "BH", verbose = FALSE)
res <- summary(y)
head(res)
```




Figure 3: cnetplot of Reactome Pathway enrichment result.

##	ID	Description	setSize	enrichmentScore
##	68882	Mitotic Anaphase	158	0.653
##	68886	M Phase	237	0.633
##	69278	Cell Cycle, Mitotic	393	0.622
##	71291	Metabolism of amino acids and derivatives	168	0.329
##	109581	Apoptosis	145	0.428
##	162906	HIV Infection	191	0.466
##	pvalue	p.adjust	qvalues	
##	68882	0	0	0
##	68886	0	0	0
##	69278	0	0	0
##	71291	0	0	0
##	109581	0	0	0
##	162906	0	0	0

3.1 Visualize GSEA result




Figure 4: ReactomePA with clusterProfiler.

```
enrichMap(y)
```

```
gseaplot(y, geneSetID = "1280215")
```

4 Pathway Visualization

In *ReactomePA*, we also implemented `viewPathway` to visualize the pathway.

```
viewPathway("E2F mediated regulation of DNA replication",
  readable = TRUE, foldChange = geneList)
```

```
## Loading required package: graphite
```

5 Session Information

The version number of R and packages loaded for generating the vignette were:

- R version 3.1.2 (2014-10-31), x86_64-apple-darwin10.8.0
- Locale:
en_US.UTF-8/en_US.UTF-8/en_US.UTF-8/C/en_US.UTF-8/en_US.UTF-8
- Base packages: base, datasets, graphics, grDevices, methods, parallel, stats, stats4, utils




Figure 5: enrichment map of gsea result

- Other packages: AnnotationDbi 1.28.1, Biobase 2.26.0, BiocGenerics 0.12.1, clusterProfiler 2.0.0, DBI 0.3.1, DOSE 2.4.0, GenomeInfoDb 1.2.3, graph 1.44.0, graphite 1.12.0, IRanges 2.0.0, knitr 1.8, org.Hs.eg.db 3.0.0, ReactomePA 1.10.1, RSQLite 1.0.0, S4Vectors 0.4.0
- Loaded via a namespace (and not attached): codetools 0.2-9, colorspace 1.2-4, digest 0.6.4, DO.db 2.8.0, evaluate 0.5.5, formatR 1.0, ggplot2 1.0.0, GO.db 3.0.0, GOSemSim 1.24.1, grid 3.1.2, gtable 0.1.2, highr 0.4, igraph 0.7.1, KEGG.db 3.0.0, labeling 0.3, MASS 7.3-35, munsell 0.4.2, plyr 1.8.1, proto 0.3-10, qvalue 1.40.0, Rcpp 0.11.3, reactome.db 1.50.0, reshape2 1.4, scales 0.2.4, stringr 0.6.2, tools 3.1.2

References

- [1] Elizabeth I Boyle, Shuai Weng, Jeremy Gollub, Heng Jin, David Botstein, J Michael Cherry, and Gavin Sherlock. GO::TermFinder—open source soft-




Figure 6: plotting gsea result

ware for accessing gene ontology information and finding significantly enriched gene ontology terms associated with a list of genes. *Bioinformatics (Oxford, England)*, 20(18):3710–3715, December 2004. PMID: 15297299.

- [2] Guangchuang Yu, Li-Gen Wang, Yanyan Han, and Qing-Yu He. clusterProfiler: an r package for comparing biological themes among gene clusters. *OMICS: A Journal of Integrative Biology*, 16(5):284–287, May 2012.




Figure 7: Reactome Pathway visualization.