

# Package ‘TCGAbiolinksGUI’

December 5, 2021

**Title** ``TCGAbiolinksGUI: A Graphical User Interface to analyze cancer molecular and clinical data''

**Version** 1.20.0

**Date** 2016-10-28

**Author** Tiago Chedraoui Silva <tiagochst@gmail.com>,  
Antonio Colaprico <antonio.colaprico@ulb.ac.be>,  
Catharina Olsen <colsen@ulb.ac.be>,  
Michele Ceccarelli,  
Gianluca Bontempi <gbonte@ulb.ac.be>,  
Benjamin P. Berman <Benjamin.Berman@cshs.org>,  
Houtan Noushmehr <houtana@gmail.com>

**Maintainer** Tiago C. Silva <tiagochst@gmail.com>

## Description

``TCGAbiolinksGUI: A Graphical User Interface to analyze cancer molecular and clinical data.  
A demo version of GUI is found in <https://tcgabiolinksgui.shinyapps.io/tcgabiolinks/>''

**License** GPL (>= 3)

**Depends** R (>= 3.3.1), shinydashboard (>= 0.5.3), TCGAbiolinksGUI.data

**Suggests** testthat, dplyr, knitr, roxygen2, devtools, rvest, xml2,  
BiocStyle, animation, rmarkdown, pander

**Imports** shiny (>= 0.14.1), downloader (>= 0.4), grid, DT, plotly,  
readr, maftools, stringr (>= 1.1.0), SummarizedExperiment,  
ggrepel, data.table, caret, shinyFiles (>= 0.6.2), ggplot2 (>= 2.1.0), pathview, ELMER (>= 2.0.0), clusterProfiler, parallel,  
TCGAbiolinks (>= 2.5.5), shinyjs (>= 0.7), colourpicker,  
sesame, shinyBS (>= 0.61)

**VignetteBuilder** knitr

**biocViews** Genetics, GUI, DNAMethylation, StatisticalMethod,  
DifferentialMethylation, GeneRegulation, GeneExpression,  
MethylationArray, DifferentialExpression, Sequencing, Pathways,  
Network, DNaseq

**RoxygenNote** 6.1.1

**git\_url** <https://git.bioconductor.org/packages/TCGAbiolinksGUI>

**git\_branch** RELEASE\_3\_14

**git\_last\_commit** 94f9190

**git\_last\_commit\_date** 2021-10-26

**Date/Publication** 2021-12-05

## R topics documented:

TCGAbiolinksGUI . . . . .	2
<b>Index</b>	<b>3</b>

---

TCGAbiolinksGUI	<i>TCGAbiolinksGUI</i>
-----------------	------------------------

---

### Description

A Graphical User Interface for integrative analysis of TCGA data  
Calls UI interface

### Usage

```
TCGAbiolinksGUI(run = TRUE)
```

### Arguments

`run` Used to control the examples.

### Details

The functions you're likely to need from **TCGAbiolinksGUI** are [TCGAbiolinksGUI](#)

### Value

Open a connection to shiny

### Examples

```
## Not run:
  TCGAbiolinksGUI()

## End(Not run)
  TCGAbiolinksGUI(run = FALSE)
```

# Index

TCGAbiolinksGUI, [2](#), [2](#)  
TCGAbiolinksGUI-package  
    (TCGAbiolinksGUI), [2](#)