Package 'Travel'

April 11, 2023

Title An utility to create an ALTREP object with a virtual pointer

Version 1.6.0

Description Creates a virtual pointer for R's ALTREP object which does not have the data allocates in memory. The pointer is made by the file mapping of a virtual file so it behaves exactly the same as a regular pointer. All the requests to access the pointer will be sent to the underlying file system and eventually handled by a customized data-reading function.

The main purpose of the package is to reduce the memory consumption when using R's vector to represent a large data. The use cases of the package include on-disk data representation, compressed vector(e.g. RLE) and etc.

License GPL-3

biocViews Infrastructure

Encoding UTF-8

LazyData true

Roxygen list(markdown = TRUE)

RoxygenNote 7.1.1

SystemRequirements C++11 Windows: Dokan Linux&Mac: fuse, pkg-config

LinkingTo Rcpp

Imports Rcpp

Suggests testthat, BiocStyle, knitr, rmarkdown, inline, parallel

VignetteBuilder knitr

URL https://github.com/Jiefei-Wang/Travel

BugReports https://github.com/Jiefei-Wang/Travel/issues

git_url https://git.bioconductor.org/packages/Travel

git_branch RELEASE_3_16

git_last_commit 99e6fd3

git_last_commit_date 2022-11-01

Date/Publication 2023-04-10

Author Jiefei Wang [aut, cre], Martin Morgan [aut] Maintainer Jiefei Wang <szwjf08@gmail.com>

R topics documented:

	wrap_altrep	 	•	• •	 •	• •	•	 •	 •		•	 •		•	 •	• •	•	•	•	2
Index																				3

wrap_altrep

Create a new ALTREP object from an R ALTREP

Description

Create a new ALTREP object from an R ALTREP, the new ALTREP object owns a data pointer. However, it is a dummy pointer in the sense that the data is not in the memory. The pointer can be operated as a normal pointer but the request of accessing the data will be send to the wrapped ALTREP object.

Usage

wrap_altrep(x)

Arguments

x an ALTREP object

Value

A new ALTREP object

Examples

x <- 1:10
y <- wrap_altrep(x)</pre>

Index

wrap_altrep, 2