Package 'CNAnorm'

October 17, 2017

Version 1.22.1

Date 2012-08-06

Title A normalization method for Copy Number Aberration in cancer samples

Author Stefano Berri <sberri@illumina.com>, Henry M. Wood

<H.M.Wood@leeds.ac.uk>, Arief Gusnanto <a.gusnanto@leeds.ac.uk>

Maintainer Stefano Berri <sberri@illumina.com>

Depends R (>= 2.10.1), methods

Description Performs ratio, GC content correction and normalization of data obtained using low coverage (one read every 100-10,000 bp) high troughput sequencing. It performs a ``discrete'' normalization looking for the ploidy of the genome. It will also provide tumour content if at least two ploidy states can be found.

License GPL-2

Imports DNAcopy

Collate AllGenerics.R AllClasses.R dataFrame2object.R workflowWrapper.R initialize-methods.R summary-methods.R smoothseg.R bandsegment.R mixtureModel.R normalize.R length-methods.R CNAnorm-accessors.R CNAnorm-methods.R Data-methods.R makeDefaultGraphParamteres.R

URL http://www.r-project.org,

LazyLoad yes

biocViews CopyNumberVariation, Sequencing, Coverage, Normalization, WholeGenome, DNASeq, GenomicVariation

NeedsCompilation yes

R topics documented:

addDNACopy	2
addSmooth	3
chromosomesPosition	4
CN	5
CNAnorm-class	6
CNAnormWorkflow	7

addDNACopy

dataFrame2object	9
DerivData-class	9
discreteNorm	10
exportTable	11
gcNorm	12
gPar	13
hg19_hs_ideogr	14
InData-class	14
LS041	15
Params-class	16
peakPloidy	17
plotGenome	18
plotPeaks	20
ratio	21
retrieve peaks and ploidy	22
validation	23
	24

```
Index
```

```
addDNACopy
```

Methods for Function addDNACopy in Package 'CNAnorm'

Description

addSmooth segment ratio values in Package 'CNAnorm' using DNACopy

Usage

```
## S4 method for signature 'CNAnorm'
addDNACopy(object, independent.arms = FALSE, ideograms = NULL,
DNAcopy.smooth = list(), DNAcopy.weight = character(), DNAcopy.segment = list())
```

Arguments

object	An object of Class "CNAnorm"		
independent.arm	independent.arms		
	Boolean. If TRUE chromosomes arms will be treated as independent, ideograms must be provided		
ideograms	A data frame containing information about banding. See <code>?hg19_hs_ideogr</code> for more information		
DNAcopy.smooth	A list of parameters to be passed to function 'smooth.CNA' in package DNA-copy		
DNAcopy.weight	A character value of one of these values. 'poisson', 'gaussian', 'twoTailQuan- tile', 'oneTailQuantile'. It specifies a way to give weight to each window de- pending on how much coverage in the normal deviates from the median for that chromosome. Options are listed in decreasing order of stringency. See Details		
DNAcopy.segment			
	A list of parameters to be passed to function 'segment' in package DNAcopy. Parameters 'weights' and 'verbose' are not accepted		

addSmooth

Details

'poisson': windows with coverage more or less than 2*sqrt(mean) from the mean are weighted down. The most stringent. Recommended for unbiased genome wide sequencing.

'gaussian': windows with coverage more or less than 2*sd from the median are weighted down. Recommended for genome wide sequencing where coverage in the normal is far from poisson distribution.

'twoTailQuantile': windows with coverage outside 5-95th quantile are weighted down. Recommended when coverage is far from a normal distribution - such as capture experiments -

'oneTailQuantile': windows with coverage lower than 5th quantile are weighted down. Recommended when coverage is far from a normal distribution - such as capture experiments. Does not weight down windows with very high coverage.

Value

An object of class "CNAnorm"

Methods

signature(object = "CNAnorm") Segment ratio values on an object of class "CNAnorm". Returns the same object with extra slots (segMean, segID)

Author(s)

Stefano Berri <s.berri@leeds.ac.uk> and Arief Gusnanto <a.gusnanto@leeds.ac.uk>

References

Venkatraman, E. S. and Olshen, A. B. (2007) A faster circular binary segmentation algorithm for the analysis of array CGH data. Bioinformatics

See Also

segMean, CNAnorm-class, DNAcopy, hg19_hs_ideogr

Examples

```
data(LS041)
CN <- dataFrame2object(LS041)
CN <- addDNACopy(CN)</pre>
```

addSmooth

Methods for Function addSmooth in Package 'CNAnorm'

Description

addSmooth segment and smooth perform ratio values in Package 'CNAnorm'

Usage

```
## S4 method for signature 'CNAnorm'
addSmooth(object, lambda = 7, ...)
```

Arguments

object	An object of Class "CNAnorm"
lambda	Degree of smoothness. See reference for more details
	Further arguments to pass to the function smoothseg

Value

An object of class "CNAnorm"

Methods

signature(object = "CNAnorm") Segment and smooth perform ratio values on an object of class "CNAnorm". Returns the same object with extra slot (ratio.s)

Author(s)

Stefano Berri <s.berri@leeds.ac.uk> and Arief Gusnanto <a.gusnanto@leeds.ac.uk>

References

Huang, J., Gusnanto, A., O'Sullivan, K., Staaf, J., Borg, A. and Pawitan, Y. (2007) *Robust smooth segmentation approach for array CGH data analysis*. Bioinformatics

See Also

ratio.s, CNAnorm-class

Examples

```
data(LS041)
CN <- dataFrame2object(LS041)
CN.gcNorm <- gcNorm(CN, exclude = c("chrX", "chrY", "chrM"))
CN.smooth <- addSmooth(CN)</pre>
```

chromosomesPosition Accessors methods for Function ratio in Package 'CNAnorm'

Description

chrs returns/set the name of chromosomes/contigs

arms retruns the name of the chromosome and arm. A data frame containing ideogram information has to be provided. See ?hg19_hs_ideogr for an example

pos returns/set the position of starting window. **Be careful!** If you need to change data, it is better to change the input data and start over.

Usage

```
chrs(object)
## S4 method for signature 'CNAnorm'
pos(object, show = "start")
## S4 method for signature 'CNAnorm'
arms(object, banding_df)
```

CN

Arguments

object	An object of Class "CNAnorm"
show	The position to show: 'start', 'end'
banding_df	A data frame with infromation about ideogram

Value

chrs and arms return a character vector, pos returns a numeric vector

Author(s)

Stefano Berri <s.berri@leeds.ac.uk>

See Also

gcNorm, CNAnorm-class, hg19_hs_ideogr

Examples

```
data(LS041)
data(hg19_hs_ideogr)
CN <- dataFrame2object(LS041)
dataFrameNames <- as.character(LS041$Chr)
objectNames <- chrs(CN)
armNames <- arms(CN, hg19_hs_ideogr)
# check the names are, indeed, the same
all(dataFrameNames == objectNames)
# make shorter names, drop the first three letters ('chr')
shortNames <- substr(chrs(CN),4,nchar(chrs(CN)))
chrs(CN) <- shortNames</pre>
```

```
# retrieve all new names
unique(chrs(CN))
unique(armNames)
```

CN

A CNAnorm object with information about most abundant ploidy states, obtained from data LS041.

Description

This data is to provide an object to use in several examples without having to wait for computing it. To see how it was generated, see documentation of function peakPloidy.

Usage

data(CN)

Format

A CNAnorm object

CNAnorm-class

Description

Class to Contain and Describe copy number aberration (CNA) data from low coverage (approx 0.01 - 0.5X) Next Generation Sequencing

Objects from the Class

Objects can be created by calls of the form new("CNAnorm", InData).

Slots

- InData: Object of class "InData". Contains input data provided by the user. All slots have same length. Each element describe one window. See Class "InData"
- DerivData: Object of class "DerivData". Contains data derived from "InData". It can be Retrieved by the user, but methods should be used to populate "DerivData". All slots have same length as input data. See Class DerivData
- Res: Object of class "Res". Contains slots with obtained results. See Class "Res"
- Params: Object of class "Params". Contains crucial parameters passed to some of the methods for reusing in later steps or for documentation.

Methods

Summary of methods for class "CNAnorm". Type "methods ? methodName" for more details about methodName.

chrs signature(object = "CNAnorm"): Retrieve Chromosomes/contig name

chrs<- signature(object = "CNAnorm"): Set Chromosomes/contig name</pre>

guessPeaksAndPloidy signature(object = "CNAnorm"): Estimate ploidy of the sample, tumor content and other results saved in Slot "Res"

length signature(x = "CNAnorm"): Returns number of element/windows

- [signature(x = "CNAnorm"): Produce on object of class "CNAnorm" with a subser of windows
- plotGenome signature(object = "CNAnorm"): Plot annotated normalized genome copy number

plotPeaks signature(object = "CNAnorm"): Plot peaks and estimated/validated ploidy

```
pos signature(object = "CNAnorm"): Retrieve Chromosomes/contig position
```

```
pos<- signature(object = "CNAnorm"): Set Chromosomes/contig position</pre>
```

- **ratio** signature(object = "CNAnorm"): Retrieve ratio (Test/Control). If gcNorm was called, ratio is GC normalized
- ratio.n signature(object = "CNAnorm"): Retrieve normalized ratio (not smoothed)
- ratio.s signature(object = "CNAnorm"): Retrieve smoothed ratio

```
ratio.n.s signature(object = "CNAnorm"): Retrieve normalized smoothed ratio
```

segMean signature(object = "CNAnorm"): Retrieve segmented ratio (as provided by DNAcopy)

```
segMean.n signature(object = "CNAnorm"): Retrieve normalized segmented ratio
```

CNAnormWorkflow

Author(s)

Stefano Berri <s.berri@leeds.ac.uk> and Arief Gusnanto <a.gusnanto@leeds.ac.uk>

References

CNA-norm: Discrete Normalization of Copy Number Alteration data from clinical samples (in preparation)

See Also

InData, DerivData for documentation on the slots.

Examples

```
data(LS041)
CNA <- new("CNAnorm", InData = new("InData", Chr = as.character(LS041$Chr), Pos = LS041$Pos,
    Test = LS041$Test, Norm = LS041$Norm, GC = LS041$GC))
```

CNAnormWorkflow Wrapper to "CNAnorm" workflow

Description

This function is a wrapper to use for a fully automated CNAnorm workflow where interactivity is not required. It contains MOST possible parameters. Defaults are set to to run a standard and conservative workflow.

Usage

```
CNAnormWorkflow(dataFrame, gc.do=FALSE, gc.exclude=character(0),
  gc.maxNumPoints=10000, smooth.do=TRUE, smooth.lambda=7,
  smooth.other=list(), peak.method='closest', peak.exclude=character(0),
  peak.ploidyToTest=12, peak.sd=5, peak.dThresh=0.01, peak.n=2048,
  peak.adjust=.9, peak.force.smooth=TRUE, peak.reg=FALSE, peak.ds=1.5,
  peak.zero.count=FALSE, peak.other=list(), DNAcopy.do=TRUE,
  DNAcopy.independent.arms=FALSE, DNAcopy.ideograms=NULL,
  DNAcopy.smooth=list(), DNAcopy.segment=list(), DNAcopy.weight=character(),
  dNorm.normBy=NULL)
```

Arguments

	All arguments are explained in the relative functions
	A data frame with columns Chr, Pos, Test, Norm and optional GC. See dataFrame2object
gatd5 rame	Specify if GC correction need to be done. See gcNorm
gc.exclude	See gcNorm
gc.maxNumPoint:	S
	See gcNorm
smooth.do	Specify if smoothing need to be done. See addSmooth
<pre>smooth.lambda</pre>	See addSmooth

	<pre>smooth.other</pre>	A list of other parameters to pass to the smoothing function. See addSmooth
	peak.method	See peakPloidy
	peak.exclude	See peakPloidy
	peak.ploidyToTe	est
		See peakPloidy
	peak.sd	See peakPloidy
	peak.dThresh	See peakPloidy
	peak.n	See peakPloidy
	peak.adjust	See peakPloidy
	<pre>peak.force.smod</pre>	oth
		See peakPloidy
	peak.reg	See peakPloidy
	peak.ds	See peakPloidy
peak.zero.count		
		See peakPloidy
	peak.other	A list of other parameters to be passed to functions for peak detection See peak-Ploidy
	DNAcopy.do	Specify if segmentation with DNAcopy need to be done. See addDNACopy
DNAcopy.independent.arms		
		See addDNACopy
	DNAcopy.ideogra	ams
		See addDNACopy
	${\tt DNAcopy.smooth}$	See addDNACopy
	DNAcopy.segment	
		See addDNACopy
	DNAcopy.weight	See addDNACopy
	dNorm.normBy	See discreteNorm

Value

An object of Class "CNAnorm"

Author(s)

Stefano Berri <s.berri@leeds.ac.uk>

See Also

dataFrame2object, gcNorm, addSmooth, peakPloidy, addDNACopy, discreteNorm

Examples

```
data(LS041)
CN <- CNAnormWorkflow(LS041)
```

dataFrame2object Convert a data frame into an object of Class "CNAnorm"

Description

Convert a data frame with column: Chr, Pos, Test, Norm and optional GC into object of class "CNAnorm"

Usage

dataFrame2object(dataFrame)

Arguments

dataFrame A data frame with columns Chr, Pos, Test, Norm and optional GC

Value

An object of Class "CNAnorm"

Author(s)

Stefano Berri <s.berri@leeds.ac.uk>

See Also

CNAnorm-class, InData-class, data.frame

Examples

```
data(LS041)
CN <- dataFrame2object(LS041)</pre>
```

DerivData-class Class "DerivData"

Description

A Class containing data derived from InData used for further computation and plotting.

Objects from the Class

Objects can be created by calls of the form new("DerivData"), however DerivData is typically populated using methods. If a slot has not been populated yet, it has zero length, otherwise slots have the same length as InData.

ratio: Numeric vector with ratio Test/Normal. Optionally GC corrected.

ratio.s: Numeric vector with smoothed ratio.

ratio.n: Numeric vector with normalized ratio.

ratio.s.n: Numeric vector with normalized and smoothed ratio.

segID: Numeric vecotr with ID of segmented data (as provided by DNACopy). Each segment has a different ID.

segMean: Numeric vector with mean value of the segment (as provided by DNACopy.)

segMean.n: Numeric vector with normalized segMean.

ok4density: Logical vector. Specify wich values have been used to calculate density.

Methods

length signature(x = "DerivData"): Returns number of windows.

Author(s)

Stefano Berri and Arief Gusnanto

References

Gusnanto, A., Wood, H.M., Pawitan, Y., Rabbitts, P. and Berri, S. (2011) Correcting for cancer genome size and tumor cell content enables better estimation of copy number alterations from next generation sequence data. Bioinformatics

See Also

CNAnorm, InData-class

Examples

```
data(LS041)
inObject <- new("InData", Chr = as.character(LS041$Chr),
    Pos = LS041$Pos, Test = LS041$Test, Norm = LS041$Norm,
    GC = LS041$GC)
CNA <- new("CNAnorm", InData = inObject)</pre>
```

discreteNorm Methods

Methods for Function addSmooth in Package 'CNAnorm'

Description

discreteNorm performs normalization of data using information on ploidy. Implicitly calls "validation" if no validation was performed

Usage

S4 method for signature 'CNAnorm'
discreteNorm(object, normBy = object)

exportTable

Arguments

An object of Class "CNAnorm" to normalize
An object of Class "CNAnorm" used to set normalization. It is possible, for instance, to normalize a sample at high resolution, using information obtained from the same sample at low resolution

Value

An object of class "CNAnorm"

Author(s)

Stefano Berri <s.berri@leeds.ac.uk> and Arief Gusnanto <a.gusnanto@leeds.ac.uk>

References

Gusnanto, A., Wood, H.M., Pawitan, Y., Rabbitts, P. and Berri, S. (2011) Correcting for cancer genome size and tumour cell content enables better estimation of copy number alterations from next generation sequence data. Bioinformatics

See Also

validation, peakPloidy

Examples

```
data(CN)
# see peakPloidy documentation to know how object CN is created
CN <- discreteNorm(CN)</pre>
```

exportTable Method

Methods for Function exportTable in Package 'CNAnorm'

Description

exportTable write a table with normalised values of each window. A wrapper to "write.table"

Usage

```
## S4 method for signature 'CNAnorm'
exportTable(object, file = "CNAnorm_table.tab", show = 'ratio',
    sep = "\t", row.names = FALSE, ...)
```

Arguments

object	an object of Class "CNAnorm"
file	name of the file to save to
show	what should be reported in the table: "ratio": the normalized ratio (a value of 1 means diploid). "ploidy": the same as ratio * 2. "center": report ratio centered on the most abbundant copy. Ratio of 1 means that the most abbundant "state" is centered to 1

gcNorm

sep	the field separator string.
row.names	either a logical value indicating whether the row number should be written or a character vector of row names to be written.
	Extra arguments to be passed to "write.table"

Details

It produces a tab delimited text file with the following columns:

Chr: Chromosome/contig name.

Pos: Starting position of the window.

Ratio: Ratio Test/Normal for each window after GC correction.

Ratio.n: Ratio Test/Normal or ploidy for each window after normalisation.

Ratio.s.n: Smoothed and normalised ratio Test/Normal or ploidy for each window.

SegMean: Mean of the segment this window belongs to.

SegMean.n: Normalised mean ratio Test/Normal or ploidy of the segment this window belongs to.

Value

An object of class "CNAnorm"

Author(s)

Stefano Berri <s.berri@leeds.ac.uk>

See Also

write.table

Examples

```
data(CN)
CN <- validation(CN)
CN <- discreteNorm(CN)
exportTable(CN, file = "CNAnorm_table.tab", show = 'ploidy')</pre>
```

gcNorm

Methods for Function gcNorm in Package 'CNAnorm'

Description

gcNorm perform GC content normalization on ratio Test/Normal in Package 'CNAnorm'

Usage

```
## S4 method for signature 'CNAnorm'
gcNorm(object, exclude = character(0), maxNumPoints = 10000)
```

gPar

Arguments

object	An object of Class "CNAnorm"
exclude	A character vector with name of chromosomes/contigues not to use to calculate GC content correction. All genome, however, will be corrected
maxNumPoints	Maximum number of data points to fit the loess correction. For computational pourposes, if the number of points in ratio(object) is greater than maxNumPoints, only maxNumPoints randomly selected will be used

Value

An object of class "CNAnorm"

Methods

signature(object = "CNAnorm") Perform GC content correction on an object of class "CNAnorm". Returns the same object with corrected ratio

Author(s)

Stefano Berri <s.berri@leeds.ac.uk>

See Also

loess, CNAnorm-class, ratio

Examples

```
data(LS041)
CN <- dataFrame2object(LS041)
# correct for GC content, but ignoring data from sex chromosomes and
# mitocondria
CN.gcNorm <- gcNorm(CN, exclude = c("chrX", "chrY", "chrM"))</pre>
```

```
gPar
```

An object with the default graphical parameters

Description

This data object is used by some plotting methods and contains the default values. User can change graphical parameters by changing this object

The object consists of several layers refering to different plots and different properties. Here an indicative description

gPar\$genome: prameters here refer to the plot produced by plotGenome

graphical parameters: see ?par

\$colors: specify colors \$cex: specify relative size - points, text... \$lwd: specify line width \$lty: specify line type - solid, dashed \$mar: specify margins

Usage

data(gPar)

Format

A S3 object

hg19_hs_ideogr An object with the ideogram information for homo sapiens - hg19

Description

This is bundles data that can be provided to plotGenome in order to plot location of the centromere. In future release it might be used to produce an ideogram too

Usage

data(hg19_hs_ideogr)

Format

A data.frame

InData-class Class "InData" ~~~

Description

A Class containing input data for CNA

Objects from the Class

Objects can be created by calls of the form new("InData", Chr, Pos, Test, Norm, ratio, GC).

Slots

Chr: Object of class "character". Name of the Chromosomes/Contigs of each window.

Pos: Object of class "numeric". Starting position of the each window.

Test: Object of class "numeric". Number of reads from Test in each window.

Norm: Object of class "numeric". Number of reads from Normal (Control) in each window.

ratio: Object of class "numeric". Ratio Test/Control in each window. Automatically computed if Test and Norm are provided, or user generated if Test and Norm are not know.

GC: Object of class "numeric". GC content of each window.

Methods

length signature(x = "InData"): Returns number of windows from input data.

Author(s)

Stefano Berri

LS041

References

Gusnanto, A., Wood, H.M., Pawitan, Y., Rabbitts, P. and Berri, S. (2011) Correcting for cancer genome size and tumor cell content enables better estimation of copy number alterations from next generation sequence data. Bioinformatics

See Also

CNAnorm

Examples

```
data(LS041)
inObject <- new("InData", Chr = as.character(LS041$Chr), Pos = LS041$Pos,
   Test = LS041$Test, Norm = LS041$Norm, GC = LS041$GC)
CNA <- new("CNAnorm", InData = inObject)</pre>
```

LS041

Mapped reads in tumor and matched blood for patient LS041

Description

This data set provide reads in tumor and matched blood for patient LS041. Each row has information about non-overlapping window across the genome. In particular it reports: chromosome name, starting position of the window (1 based), number of mapped reads in the test (lung tumor), number of reads in the control (matched blood) and GC content of the window.

Usage

data(LS041)

Format

A dataframe

References

Gusnanto, A., Wood, H.M., Pawitan, Y., Rabbitts, P. and Berri, S. (2011) Correcting for cancer genome size and tumour cell content enables better estimation of copy number alterations from next generation sequence data. Bioinformatics

Params-class

Class "Params"

Description

A Class containing some Parameters used in the analysis. Not heavily used at the moment.

Objects from the Class

Objects can be created by calls of the form new("Params"), it is usually iniziated and populated with methods and functions of class CNAnorm.

Slots

- method: variable of class "character". Record if the peakPloidy function was called using density or mixture.
- density.n: The variable "n" used when calling peakPloidy. This variable is saved so that can be used later for drawing plots.
- density.adjust: The variable "adjust" used when calling peakPloidy. This variable is saved so that can be used later for drawing plots
- gc.excludeFromGCNorm: Vector of class "character". Name of the Chromosomes/Contigs not used for GC content correction.
- gc.maxNumPoints: One element vector of class "numeric". Specify how many points to use for GC correction
- gp.excludeFromDensity: Vector of class "character". Name of the Chromosomes/Contigs not used for peak guessing

Methods

length signature(x = "Params")

Author(s)

Stefano Berri

References

Gusnanto, A., Wood, H.M., Pawitan, Y., Rabbitts, P. and Berri, S. (2011) Correcting for cancer genome size and tumor cell content enables better estimation of copy number alterations from next generation sequence data. Bioinformatics

See Also

CNAnorm

Examples

```
data(LS041)
inObject <- new("InData", Chr = as.character(LS041$Chr), Pos = LS041$Pos,
   Test = LS041$Test, Norm = LS041$Norm, GC = LS041$GC)
CNA <- new("CNAnorm", InData = inObject)</pre>
```

peakPloidy

Description

peakPloidy Estimate most likely ploidy of genome looking at distribution of smoothed ratio.

Usage

```
## S4 method for signature 'CNAnorm'
peakPloidy(object, method = 'mixture', exclude = character(0),
    ploidyToTest = 12, sd = 5, dThresh = 0.01, n = 2048, adjust = .9, force.smooth = TRUE,
    reg = FALSE, ds = 1.5, zero.cont = FALSE, ...)
```

Arguments

object	An object of Class "CNAnorm"
exclude	A character vector with names of Chromosomes/Contigs not to use to estimate ploidy.
method	A character element matching either "mixture", "density", "median", "mode" or "closest". "mixture" will fit a mixture model to find peaks; "density" will use the density function to find peaks; "median" "mode" and "closest" will only find one peak at the median, mode or peak closest to the median re- spectively. No tumour content or reliable estimated ploidy will be provided. These methods are ment to perform a more "standard" normalisation, without stratching the data. Suggested for germline CNV or a fully automated process that does not requires a normalisation on integer copy number or for highly heterogeneous sample where such normalisation would not be possible. Non ambigous partial matches can be used.
ploidyToTest	Maximum ploidy allowed. Warnings! Computation time increases exponen- tially with this parameter if using "density".
adjust	The "adjust" parameter passed to the density function.
n	The "n" parameter passed to the density function.
force.smooth	If the input object does not have smoothed ratio, it will smooth using "addSmooth". It is highly recomended to use "force.smooth = TRUE"
sd	Parameter to filter outliers. Values greater than i median + sd * standard deiva- tions will be ignored while detecting peaks and ploidy.
dThresh	Parameter to filter outliers. Values with a density lower than max(density)*dThresh will be ignored while detecting peaks and ploidy.
reg	Parameter for mixture model: If set TRUE, the starting point for EM algorithm will be optimized through several methods including regular grid on the ratio distribution. The default is FALSE, by which the starting values are taken from the quantiles of the distribution.
ds	Parameter for mixture model: A constraint in EM algorithm of minimum dis- tance between mean estimates, in terms of median standard deviation of the mixture components.
zero.cont	Parameter for mixture model: An argument for the mixture model. If set TRUE, the EM algorithm considers exactly-zero ratios as a mixture component.
	Extra parameters to be passed to functions for peak detection, specific to each of the methods (deinsity or mixture), se below for details.

Value

An object of class "CNAnorm"

Note

Other optional parameters to be passed (...)

mixture method

density method

peakRatioThreshold used to call a peak. Peaks smaller than maxPeakHight/peakRatio are not considered peaks.

spacingToleranceA parameter smaller than 1 which describes how strict the program should be on alternative solutions. Only solution with the best $R^2 \ge max(R^2)$ *spacingTolerance will be considered as valid.

interceptRatioMinimum value for the intercept of the linear model. Ideally, should be zero, but the default allows a little flexibility.

Author(s)

Stefano Berri <s.berri@leeds.ac.uk> and Arief Gusnanto <a.gusnanto@leeds.ac.uk>

References

Gusnanto, A., Wood, H.M., Pawitan, Y., Rabbitts, P. and Berri, S. (2011) Correcting for cancer genome size and tumour cell content enables better estimation of copy number alterations from next generation sequence data. Bioinformatics

See Also

CNAnorm-class, density

Examples

```
data(LS041)
CN <- dataFrame2object(LS041)
chr2skip <- c("chrY", "chrM")
CN <- gcNorm(CN, exclude = chr2skip)
CN <- addSmooth(CN, lambda = 3)
CN <- peakPloidy(CN, exclude = chr2skip)
# this object CN is what you obtain when you load
# data(CN)
```

plotGenome

Methods for Function plotGenome in Package 'CNAnorm'

Description

plotGenome plot normalized ratio and optionally segmented and/or smoothed normalized ratio values in Package 'CNAnorm'. It also shows annotation.

18

plotGenome

Usage

```
## S4 method for signature 'CNAnorm'
plotGenome(object, maxRatio = 8, minRatio = -1,
    superimpose = character(0), gPar = NULL, numHorLables = 10,
    colorful = FALSE, show.centromeres = TRUE, idiogram = NULL, fixVAxes = FALSE,
    supLineColor = character(0), supLineCex = character(0), dot.cex = .2, ...)
```

Arguments

object	An object of Class "CNAnorm"	
maxRatio	The maximum ratio to be shown on the plot. Values or ratio greater than maxRa- tio will be displayed as green triangulars	
minRatio	The minimum ratio to be shown on the plot. Values or ratio smaller than min- Ratio will be displayed as green triangulars	
superimpose	A character verctor with one or both of the following: "smooth", "DNACopy"	
numHorLables	. Number of maximum horizontal lables. The function will try to annotate numHorLables so that they are approximately equally spaced.	
colorful	A switch to decide if the background dots representing the ratio of each window should be gray or colored according their value in relation to the peak closest to the median	
show.centromeres		
	A switch to decide if location of centromere are displayed on the graph. The location of the centromere is stored in idiogram	
idiogram	A data frame containing banding information. if NULL -default- human infor- mation will be loaded by data(hg19_hs_ideogr)	
fixVAxes	A switch to decide if the vertical axes should be fixed to minRatio and maxRatio or fit the data within minRatio and maxRatio.	
gPar	a S3 object with all graphical parameters. If NULL (default) data(gPar) is called	
supLineColor	A three element character vector with colors to be used for first superimposed line, second superimposed line, normalized ratio dots. If none is provided, defaults are: c("black", "cyan", "grey60")	
supLineCex	A two element vector with cex valeus to be used for width of first superimposed line and second superimposed line. If none is provided, defaults are: c(0.5, 0.5)	
dot.cex	size of the dots in the plot	
	Further arguments to pass to the function plot	

Value

An object of class "CNAnorm"

Author(s)

Stefano Berri <s.berri@leeds.ac.uk> and Arief Gusnanto <a.gusnanto@leeds.ac.uk>

See Also

plot, par, peakPloidy, gPar, hg19_hs_ideogr

Examples

```
data(CN)
# see peakPloidy documentation to know how object CN is created
CN <- addDNACopy(CN)
CN <- validation(CN)
CN <- discreteNorm(CN)
plotGenome(CN, superimpose = 'DNACopy')</pre>
```

plotPeaks

Methods for Function plotPeaks in Package 'CNAnorm'

Description

plotPeaks plot annotated distribution of ratio Test/Normal

Usage

Arguments

object	An object of Class "CNAnorm"
special1	The chromosome/contig whose distribution will be shown with a different color
special2	The chromosome/contig whose distribution will be shown with a different color
show	A character verctor with one or both of the following: "suggested", "validated". Specify what need to be plotted
	Further arguments to pass to the function plot

Author(s)

Stefano Berri <s.berri@leeds.ac.uk>

See Also

plot, validation, peakPloidy

Examples

```
data(CN)
# see peakPloidy documentation to know how object CN is created
plotPeaks(CN, special1 = 'chrX', special2 = 'chrY')
```

20

ratio

Description

ratio returns the Test/Normal ratio from an object of class CNAnorm. ratio is corrected for GC content if gcNorm was called.

ratio.n returns the Test/Normal **normalized** ratio from an object of class CNAnorm after normalization. Its input is ratio(object)

ratio.s returns the Test/Normal **smoothed** ratio from an object of class CNAnorm Its input is ratio(object)

ratio.s.n returns the Test/Normal **smoothed and normalized** ratio from an object of class CNAnorm. Its input is ratio.s(object)

segMean returns the mean of the segments as produced by DNACopy

segMean.n returns the normalized mean of the segments

Usage

```
ratio(object)
ratio.n(object)
ratio.s(object)
ratio.s.n(object)
segMean(object)
segMean.n(object)
```

Arguments

object An object of Class "CNAnorm"

Value

A numeric vector

Author(s)

Stefano Berri <s.berri@leeds.ac.uk>

See Also

gcNorm, CNAnorm-class, DNAcopy

Examples

```
data(LS041)
CN <- dataFrame2object(LS041)
ratio.original <- ratio(CN)
CN.gcNorm <- gcNorm(CN, exclude = c("chrX", "chrY", "chrM"))
ratio.gc.corrected <- ratio(CN.gcNorm)</pre>
```

```
retrieve peaks and ploidy
```

Methods for Function to retrieve suggested/validated ploidy and peaks in Package 'CNAnorm'

Description

sugg.peaks returns the location of peaks before normalization as suggested by peakPloidy.

sugg.ploidy returns the ploidy of the peaks as suggested by peakPloidy.

valid.peaks returns the location of peaks before normalization as validated after calling method "validation"

valid.ploidy returns the validated ploidy of the peaks as validated after calling method "validation"

Usage

```
sugg.peaks(object)
sugg.ploidy(object)
valid.peaks(object)
valid.ploidy(object)
```

Arguments

object An object of Class "CNAnorm" after method "peakPloidy" was called

Value

A numeric vector

Author(s)

Stefano Berri <s.berri@leeds.ac.uk>

See Also

gcNorm, CNAnorm-class, DNAcopy

Examples

```
data(CN)
# see peakPloidy documentation to know how object CN is created
plot(sugg.ploidy(CN), sugg.peaks(CN))
```

validation

Description

validation segment and smooth perform ratio values in Package 'CNAnorm'

Usage

Arguments

object	An object of Class "CNAnorm"
peaks	The user validated location (ratio Test/Normal) of the peaks before normaliza- tion.
ploidy	The user validated ploidy of the peaks before normalization.

Value

An object of class "CNAnorm"

Note

It is implicitly called by discreteNorm if no validation was manually performed

Author(s)

Stefano Berri <s.berri@leeds.ac.uk>

See Also

ratio.s, CNAnorm-class

Examples

data(CN)
see peakPloidy documentation to know how object CN is created
CN <- validation(CN)</pre>

Index

*Topic classes CNAnorm-class, 6 DerivData-class, 9 InData-class, 14 Params-class, 16 *Topic convert, data.frame dataFrame2object,9 *Topic datasets, dataframe LS041, 15 *Topic datasets, object CN, 5 gPar. 13 hg19_hs_ideogr, 14 *Topic methods, accessor, get, set ratio, 21 retrieve peaks and ploidy, 22 *Topic methods, accessor, get chromosomesPosition, 4 *Topic methods, export, dataframe, table exportTable, 11 *Topic methods, normalization gcNorm, 12 peakPloidy, 17 *Topic methods, segmentation, smoothing addDNACopy, 2 addSmooth, 3 *Topic workflow CNAnormWorkflow, 7 [, CNAnorm-method (CNAnorm-class), 6 addDNACopy, 2, 8 addDNACopy, CNAnorm-method (addDNACopy), addDNACopy-methods (addDNACopy), 2 addSmooth, 3, 8addSmooth, CNAnorm-method (addSmooth), 3 addSmooth-methods (addSmooth), 3

arms (chromosomesPosition), 4 arms, CNAnorm-method (chromosomesPosition), 4 arms-methods (chromosomesPosition), 4 chromosomesPosition, 4 chrs (chromosomesPosition), 4 chrs, CNAnorm-method (CNAnorm-class), 6 chrs-methods (chromosomesPosition), 4 chrs<-(chromosomesPosition), 4 chrs<-, CNAnorm-method (CNAnorm-class), 6 chrs<--methods (chromosomesPosition), 4 CN, 5 CNAnorm, 10, 15, 16 CNAnorm (CNAnorm-class), 6 CNAnorm-class, 6 CNAnormWorkflow, 7 data.frame, 9 dataFrame2object, 8,9 density, 18 DerivData, 7 DerivData-class, 9 discreteNorm, 8, 10 discreteNorm, CNAnorm-method (discreteNorm), 10 discreteNorm-methods (discreteNorm), 10 exportTable.11 exportTable,CNAnorm-method (exportTable), 11 exportTable-methods (exportTable), 11 gcNorm, 5, 8, 12, 21, 22 gcNorm, CNAnorm-method (gcNorm), 12 gcNorm-methods (gcNorm), 12 gPar, 13, 19 hg19_hs_ideogr, 3, 5, 14, 19 InData, 7 InData-class, 14 length,CNAnorm-method(CNAnorm-class),6 length, DerivData-method (DerivData-class), 9 length, InData-method (InData-class), 14 loess, 13 LS041, 15

INDEX

par. 19 Params-class, 16 peakPloidy, 8, 11, 17, 19, 20 peakPloidy,CNAnorm-method (peakPloidy), 17 peakPloidy-methods (peakPloidy), 17 plot, 19, 20 plotGenome, 18 plotGenome, CNAnorm-method (plotGenome), 18 plotGenome-methods (plotGenome), 18 plotPeaks, 20 plotPeaks, CNAnorm-method (plotPeaks), 20 plotPeaks-methods (plotPeaks), 20 pos(chromosomesPosition), 4 pos, CNAnorm-method (chromosomesPosition), 4 pos-methods (chromosomesPosition), 4 pos<- (chromosomesPosition), 4</pre> pos<-, CNAnorm-method (CNAnorm-class), 6</pre> pos<--methods (chromosomesPosition), 4</pre> ratio, 13, 21 ratio,CNAnorm-method(CNAnorm-class),6 ratio-methods (ratio), 21 ratio.n(ratio), 21 ratio.n,CNAnorm-method(CNAnorm-class), 6 ratio.n-methods (ratio), 21 ratio.s, 4, 23 ratio.s(ratio), 21 ratio.s,CNAnorm-method(CNAnorm-class), 6 ratio.s-methods (ratio), 21 ratio.s.n (ratio), 21 ratio.s.n,CNAnorm-method (CNAnorm-class), 6 ratio.s.n-methods(ratio), 21 retrieve peaks and ploidy, $\underline{22}$ segMean, 3 segMean (ratio), 21 segMean,CNAnorm-method(CNAnorm-class), 6 segMean-methods (ratio), 21 segMean.n(ratio), 21 segMean.n,CNAnorm-method (CNAnorm-class), 6 segMean.n-methods (ratio), 21 sugg.peaks (retrieve peaks and ploidy), 22 sugg.peaks,CNAnorm-method (CNAnorm-class), 6

sugg.peaks-methods (retrieve peaks and ploidy), 22 sugg.ploidy (retrieve peaks and ploidy), 22 sugg.ploidy,CNAnorm-method (CNAnorm-class), 6 sugg.ploidy-methods(retrieve peaks and ploidy), 22 valid.peaks (retrieve peaks and ploidy), 22 valid.peaks,CNAnorm-method (CNAnorm-class), 6 valid.peaks-methods(retrieve peaks and ploidy), 22 valid.ploidy (retrieve peaks and ploidy), 22 valid.ploidy,CNAnorm-method (CNAnorm-class), 6 valid.ploidy-methods (retrieve peaks and ploidy), 22 validation, 11, 20, 23 validation, CNAnorm-method (validation), 23 validation-methods (validation), 23

```
write.table, 12
```