

# Package 'PWMErich.Mmusculus.background'

April 11, 2019

**Maintainer** Robert Stojnic <robert.stojnic@gmail.com>

**License** GPL-3

**Title** M. musculus background for PWMErich

**Type** Package

**LazyLoad** yes

**Author** Robert Stojnic

**Description** PWMErich pre-compiled background objects for M.musculus (mouse) and MotifDb M. musculus motifs.

**Version** 4.16.0

**biocViews** Mus\_musculus\_Data

**Date** 2015-09-30

**Depends** R (>= 2.10), methods, PWMErich

**git\_url** <https://git.bioconductor.org/packages/PWMErich.Mmusculus.background>

**git\_branch** RELEASE\_3\_8

**git\_last\_commit** 49246e4

**git\_last\_commit\_date** 2018-10-30

**Date/Publication** 2019-04-11

## R topics documented:

PWMErich.Mmusculus.background-package . . . . . 1

**Index** . . . . . 4

---

PWMErich.Mmusculus.background-package

*PWMErich.Mmusculus.background package overview*

---

## Description

This package provides a set of pre-compiled genomic background files for the PWMErich package and *M. musculus* (mouse). The backgrounds were pre-compiled using unique 2kb promoters in mouse.

- MotifDb.Mmus.PFM - a list of position frequency matrices (PFMs) from MotifDb
- MotifDb.Mmus - the corresponding PWMs generated by using the background frequencies of A,C,G,T in a set of 2kb mouse (mm9) promoters.
- PWMLogn.mm9.MotifDb.Mmus - pre-compiled threshold-free lognormal background for MotifDb mouse PWMs. The lognormal distribution is fitted to 500bp chunks of 2kb mouse (mm9) promoters.
- PWMcutoff4.mm9.MotifDb.Mmus, PWMcutoff5.mm9.MotifDb.Mmus - pre-compiled Z-score background with cutoff of 4 and 5 (base e) for MotifDb mouse PWMs. The number of hits is counted in 2kb mouse (mm9) promoters.
- PWMPvaluecutoff1e2.mm9.MotifDb.Mmus, PWMPvaluecutoff1e3.mm9.MotifDb.Mmus, PWMPvaluecutoff1e4.mm9.MotifDb.Mmus - pre-compiled Z-score background with P-value cutoff of 0.01, 0.001, and 0.0001 for MotifDb mouse PWMs. The number of hits with smaller P-value than cutoff is counted in 2kb mouse (mm9) promoters.

## Usage

```
data(MotifDb.Mmus.PFM)
data(MotifDb.Mmus)
data(PWMLogn.mm9.MotifDb.Mmus)
data(PWMCutoff4.mm9.MotifDb.Mmus)
data(PWMCutoff5.mm9.MotifDb.Mmus)
data(PWMPvalueCutoff1e2.mm9.MotifDb.Mmus)
data(PWMPvalueCutoff1e3.mm9.MotifDb.Mmus)
data(PWMPvalueCutoff1e4.mm9.MotifDb.Mmus)
```

## Details

All of these objects were created with the appropriate functions available in the PWMErich package (see Section 'See also'). We recommend using these functions to generate backgrounds for a custom set of background sequences and/or DNA motifs.

This package also contains the 2kb upstream sequences for mouse genes (mm9.upstream2000) which were removed from the BSgenome.Mmusculus.UCSC.mm9 package starting from Bioconductor version 3.0.

## Author(s)

Robert Stojnic  
Cambridge Systems Biology Centre  
University of Cambridge, UK

Maintainer: Robert Stojnic <robert.stojnic@gmail.com>

## See Also

[makeBackground](#), [makePWMLognBackground](#), [makePWMcutoffBackground](#), [makePWMEmpiricalBackground](#).

**Examples**

```
data(PWMLogn.mm9.MotifDb.Mmus)
```

```
res = motifEnrichment(DNAString("TGCATCAAGTGTGTAGTGCAAGTGAGTGATGAATGC"), PWMLogn.mm9.MotifDb.Mmus)
```

```
groupReport(res)[1:10]
```

# Index

## \*Topic **package**

PWMErich.Mmusculus.background-package,  
[1](#)

makeBackground, [2](#)

makePWMCutoffBackground, [2](#)

makePWMEmpiricalBackground, [2](#)

makePWMLognBackground, [2](#)

mm9.upstream2000  
(PWMErich.Mmusculus.background-package),  
[1](#)

MotifDb.Mmus  
(PWMErich.Mmusculus.background-package),  
[1](#)

PWMCutoff4.mm9.MotifDb.Mmus  
(PWMErich.Mmusculus.background-package),  
[1](#)

PWMCutoff5.mm9.MotifDb.Mmus  
(PWMErich.Mmusculus.background-package),  
[1](#)

PWMErich.Mmusculus.background  
(PWMErich.Mmusculus.background-package),  
[1](#)

PWMErich.Mmusculus.background-package,  
[1](#)

PWMGEV.mm9.MotifDb.Mmus  
(PWMErich.Mmusculus.background-package),  
[1](#)

PWMLogn.mm9.MotifDb.Mmus  
(PWMErich.Mmusculus.background-package),  
[1](#)

PWMPvalueCutoff1e2.mm9.MotifDb.Mmus  
(PWMErich.Mmusculus.background-package),  
[1](#)

PWMPvalueCutoff1e3.mm9.MotifDb.Mmus  
(PWMErich.Mmusculus.background-package),  
[1](#)

PWMPvalueCutoff1e4.mm9.MotifDb.Mmus  
(PWMErich.Mmusculus.background-package),  
[1](#)