

# Package ‘BEARscc’

April 24, 2024

**Type** Package

**Title** BEARscc (Bayesian ERCC Assesment of Robustness of Single Cell Clusters)

**Version** 1.23.0

**Author** David T. Severson <david\_severson@hms.harvard.edu>

**Maintainer** Benjamin Schuster-Boeckler  
<benjamin.schuster-boeckler@ludwig.ox.ac.uk>

**Description** BEARscc is a noise estimation and injection tool that is designed to assess putative single-cell RNA-seq clusters in the context of experimental noise estimated by ERCC spike-in controls.

**License** GPL-3

**Imports** ggplot2, SingleCellExperiment, data.table, stats, utils, graphics, compiler

**Suggests** testthat, cowplot, knitr, rmarkdown, BiocStyle, NMF

**VignetteBuilder** knitr

**RoxygenNote** 6.0.1

**biocViews** ImmunoOncology, SingleCell, Clustering, Transcriptomics

**git\_url** <https://git.bioconductor.org/packages/BEARscc>

**git\_branch** devel

**git\_last\_commit** 895a413

**git\_last\_commit\_date** 2023-10-24

**Repository** Bioconductor 3.19

**Date/Publication** 2024-04-24

## Contents

BEARscc-package	2
analysis_examples	3
BEARscc_examples	4
cluster_consensus	5

compute_consensus . . . . .	6
estimate_noiseparameters . . . . .	7
report_cell_metrics . . . . .	10
report_cluster_metrics . . . . .	11
simulate_replicates . . . . .	12
<b>Index</b>	<b>15</b>

---

BEARscc-package	<i>BEARscc (Bayesian ERCC Assessment of Robustness of Single Cell Clusters)</i>
-----------------	---

---

## Description

BEARscc is a noise estimation and injection tool that is designed to assess putative single-cell RNA-seq clusters in the context of experimental noise estimated by ERCC spike-in controls.

## Details

Single-cell transcriptome sequencing data are subject to substantial technical variation and batch effects that can confound the classification of cellular sub-types. Unfortunately, current clustering algorithms don't account for this uncertainty. To address this shortcoming, we have developed a noise perturbation algorithm called BEARscc that is designed to determine the extent to which classifications by existing clustering algorithms are robust to observed technical variation.

BEARscc makes use of ERCC spike-in measurements to model technical variance as a function of gene expression and technical dropout effects on lowly expressed genes. In our benchmarks, we found that BEARscc accurately models read count fluctuations and drop-out effects across transcripts with diverse expression levels. Applying our approach to publicly available single-cell transcriptome data of mouse brain and intestine, we have demonstrated that BEARscc identified cells that cluster consistently, irrespective of technical variation. For more details, see the manuscript that is now available on bioRxiv.

## Author(s)

David T. Severson <david\_severson@hms.harvard.edu>

Maintainer: Benjamin Schuster-Boeckler <benjamin.schuster-boeckler@ludwig.ox.ac.uk>

## References

Source code and README: <<https://bitbucket.org/bsblabludwig/bearscc/overview>> Associated preprint: <<https://www.biorxiv.org/content/early/2017/06/05/118919>>

---

analysis\_examples      *BEARscc downstream example objects.*

---

## Description

The `analysis_examples` Rdata object contains downstream data objects for use in various help pages for dynamic execution resulting from running tutorial in README and vignette on `BEARscc_examples`. The objects are a result of applying `BEARscc` functions as described in the README found at <https://bitbucket.org/bsblabludwig/bearscc.git> or the vignette that accompanies this package.

## Usage

```
data("analysis_examples")
```

## Format

An R data file with:

data.frame	"BEARscc_clusts.df"	Toy dataframe of previously computed cluster labels for each cell across various cluster cases
	[,1]	2 cluster case
	[,2]	3 cluster case
	[,3]	4 cluster case
	[,4]	5 cluster case
	[,5]	Original cluster case
data.frame	"clusters.df"	Toy dataframe of previously computed hierarchical clustering of 10 BEARscc simulated replicates
	[,1]	Cluster labels from simulated replicate 1.
	[,2]	Cluster labels from simulated replicate 2.
	[,3]	Cluster labels from simulated replicate 3.
	[,4]	Cluster labels from simulated replicate 4.
	[,5]	Cluster labels from simulated replicate 5.
	[,6]	Cluster labels from simulated replicate 6.
	[,7]	Cluster labels from simulated replicate 7.
	[,8]	Cluster labels from simulated replicate 8.
	[,9]	Cluster labels from simulated replicate 9.
	[,10]	Cluster labels from simulated replicate 10.
	[,11]	Original cluster case
function	"recluster"	A function used to quickly illustrate replicate-wise clustering and the resulting consensus
matrix	"noise_consensus"	50 by 50 matrix of previously computed output from <code>compute_consensus()</code> , which is
SCEList	"BEAR_analyzed.sce"	A <code>SingleCellExperiment</code> object discussed extensively in the vignette and README.

## Value

An R data file with a function, matrix, two data.frame objects and a `SingleCellExperiment` object.

**Source**

These data are the result of running the README, <https://bitbucket.org/bsblabludwig/bearsc.c.git>, on a subset of observations obtained by Drs. Michael White and Richard Owen in the Xin Lu Lab. Samples were sequenced by the Wellcome Trust Center for Genomics, Oxford, UK. The original data used to generate these objects are available in full with GEO accession number, GSE95155.

**References**

Source code and README: <https://bitbucket.org/bsblabludwig/bearsc.c/overview> Associated preprint: <https://www.biorxiv.org/content/early/2017/06/05/118919>

**Examples**

```
data(analysis_examples)
```

---

BEARsc <sub>c</sub> _examples	<i>Example data for BEARsc<sub>c</sub>.</i>
-------------------------------	---

---

**Description**

A toy dataset for applying BEARsc<sub>c</sub> functions as described in the README on <https://bitbucket.org/bsblabludwig/bearsc.c.git> and vignette accompanying this package on Bioconductor.

**Usage**

```
data("BEARsc.c_examples")
```

**Format**

And R data file with:

df	"data.counts.df"	Toy dataframe of endogenous counts with 117 genes and 50 samples.
df	"ERCC.counts.df"	Toy dataframe of ERCC counts with 57 spike-ins and 50 samples.
df	"ERCC.meta.df"	Toy dataframe of spike-in concentration values and spike-in labels as row names.
	[,1]	Spike-in actual concentration.
SCEList	"BEAR_examples.sce"	A SingleCellExpression object described in more detail in the accompanying vignette.

**Value**

An R data file containing three data.frame objects and a single SingleCellExpression object for the purpose of tutorials, testing, and help file examples.

## Source

These data are a subset of observations Drs. Michael White and Richard Owen in the Xin Lu Lab. Samples were sequenced by the Wellcome Trust Center for Genomics, Oxford, UK. These data are available in full with GEO accession number, GSE95155.

## References

Source code and README: <<https://bitbucket.org/bsblabludwig/bearscc/overview>> Associated preprint: <<https://www.biorxiv.org/content/early/2017/06/05/118919>>

## Examples

```
data(BEARscc_examples)
```

---

cluster_consensus	<i>Cluster the consensus matrix.</i>
-------------------	--------------------------------------

---

## Description

This function will perform hierarchical clustering on the noise consensus matrix allowing the user to investigate the appropriate number of clusters,  $k$ , considering the noise within the experiment.

## Usage

```
cluster_consensus(consensus_matrix, cluster_num, method = "complete")
```

## Arguments

consensus_matrix	A noise consensus output by compute_consensus().
cluster_num	The number of clusters expected from the hierarchical clustering of the noise consensus matrix.
method	The hierarchical clustering method to be used on the consensus.

## Details

We have found it useful to identify the optimal number of clusters in terms of resilience to noise by examining these metrics by cutting hierarchical clustering dendograms of the noise consensus and comparing the results to the original clustering labels. To do this create a vector containing each number of clusters one wishes to examine (the function automatically determines the results for the dataset as a single cluster) and then cluster the consensus with this function.

Frequently one will want to assess multiple possible cluster number situations at once. In this case it is recommended that one use a `lapply` in conjunction with a vector of all biologically reasonable cluster numbers to fulfill the task of attempting to identify the optimal cluster number.

**Value**

The output is a vector of cluster labels based on hierarchical clustering of the noise consensus. In the event that a vector is supplied for number of clusters in conjunction with `lapply`, then the output is a `data.frame` of the cluster labels for each of the various number of clusters deemed biologically reasonable by the user.

**Author(s)**

David T. Severson <david\_severson@hms.harvard.edu>

Maintainer: Benjamin Schuster-Boeckler <benjamin.schuster-boeckler@ludwig.ox.ac.uk>

**See Also**

`compute_consensus` `report_cluster_metrics` `report_cell_metrics`

**Examples**

```
data(analysis_examples)

vector <- seq(from=2, to=5, by=1)
BEARscc_clusts.df <- cluster_consensus(noise_consensus, vector)
BEARscc_clusts.df
```

---

`compute_consensus`      *Compute consensus matrix.*

---

**Description**

Computes the consensus matrix using a `data.frame` of cluster labels across different BEARscc simulated technical replicates.

**Usage**

```
compute_consensus(cluster_labels)
```

**Arguments**

`cluster_labels` A `data.frame` of labels assigned to each sample (rownames) across various simulated technical replicates designed by BEARscc (colnames).

**Details**

We provide a visual and quantitative representation of the clustering variation on a cell-by-cell level by using cluster labels to compute the number of times any given pair of cells associates in the same cluster; this forms the 'noise consensus matrix'. Each element of this matrix represents the fraction of simulated technical replicates in which two cells cluster together (the 'association frequency'), after using a clustering method of the user's choice to generate a `data.frame` of clustering labels. This consensus matrix may be used to compute BEARscc metrics at both the cluster and cell level.

**Value**

When the number of samples are  $n$ , then the noise consensus resulting from this function is an  $n \times n$  matrix describing the fraction of simulated technical replicates in which each cell of the experiment associates with another cell.

**A brief description of subfunctions**

compute\_consensus relies on the following subfunction to compute the noise consensus. This function obtains all of the necessary information from the options of compute\_consensus.

- names=rownames(cluster\_labels)
- create\_cm(cluster\_labels, names)

**Author(s)**

David T. Sevrison <david\_sevrison@hms.harvard.edu>

Maintainer: Benjamin Schuster-Boeckler <benjamin.schuster-boeckler@ludwig.ox.ac.uk>

**See Also**

- cluster\_consensus()
- report\_cluster\_metrics()
- report\_cell\_metrics()

**Examples**

```
data("analysis_examples")

noise_consensus <- compute_consensus(clusters.df)
noise_consensus
```

---

estimate\_noiseparameters

*Estimates noise in single cell data.*

---

**Description**

Estimates the drop-out model and technical variance from spike-ins present in the sample.

**Usage**

```
estimate_noiseparameters(SCEList, plot=FALSE, sd_inflate=0, max_cumprob=0.9999,
  bins=10, write_noise_model=TRUE, file="noise_estimation",
  dropout_inflate=1, model_view=c("Observed", "Optimized"),
  alpha_resolution=0.005, tie_function="maximum")
```

**Arguments**

<code>SCEList</code>	A <code>SingleCellExperiment</code> object that must contain the observed counts matrix as <code>"observed_expression"</code> in assays, and must have the relevant spike-in samples identified using <code>isSpike()</code> as well as contain the expected actual concentrations of these spike-ins as <code>spikeConcentrations</code> in metadata. Please see the vignette for more detail about constructing the appropriate <code>SCEList</code> .
<code>plot</code>	When <code>plot=TRUE</code> produces plots to investigate quality of data fits with root file name set by <code>file</code> option.
<code>sd_inflate</code>	An optional parameter to modulate the estimated noise. The estimated standard deviation of spike-ins can be scaled by this factor. We recommend leaving the value at the default of 0.
<code>bins</code>	The parameter determines the number of bins for comparison of the quality of fit between the mixed-model and observed data for each spike-in alpha in order to calculate the relationship between alpha and mean in the noise model. This should be set lower for small datasets and higher for datasets with more observations
<code>max_cumprob</code>	Because a cumulative distribution will range from $n=0$ to a countable infinity, the event space needs to be set to cover a reasonable fraction of the probability density. This parameter determines the the fraction of probability density covered by the event space, which in turn defines the highest count number in the event space. We recommend users use the default value of 0.9999.
<code>write.noise.model</code>	When <code>write.noise.model=TRUE</code> outputs two tab-delimited files containing the dropout effects and noise model parameters; this allows users to apply the noise generation on a separate high compute node. The root file name is set by <code>file</code> option.
<code>file</code>	Describes the root name for files written out by <code>write.noise.model</code> and <code>plot</code> options.
<code>dropout_inflate</code>	A scaling parameter for increasing explicitly the number of drop-outs present beyond those estimated by spike-ins. The value must be greater than 0 or an error will occur. Values below one will diminish drop-outs in simulated replicates, and values above one will increase drop-outs in simulated replicates. We recommend users use the default value of 1.
<code>model_view</code>	<code>model_view=c("Observed", "Optimized", "Poisson", "Neg. Binomial")</code> determines the statistical distributions that should be plotted for the ERCC plots output by <code>plot=TRUE</code> .
<code>alpha_resolution</code>	Because the alpha parameter is enumerated discretely and empirically evaluated for each value for each spike-in, it is necessary to specify the resolution (how small the step is between each explicit alpha test); this parameter defines the resolution of alpha values tested for maximum empirical fit to spike-ins. It is recommended that users utilize the default resolution.
<code>tie_function</code>	The parameter <code>tie_function=c("minimum", "maximum")</code> tells BEARscs how to handle a tie alpha value for fitting the mixture model to an individual spike-in.



If maximum, then BEARscc will chose the maximum alpha value with the best fit; conversely, if minimum is set, then BEARscc will choose the minimum alpha value with the best fit.

## Details

BEARscc consists of three steps: modelling technical variance based on spike-ins (Step 1); simulating technical replicates (Step 2); and clustering simulated replicates (Step 3). In Step 1, an experiment-specific model of technical variability ("noise") is estimated using observed spike-in read counts. This model consists of two parts. In the first part, expression-dependent variance is approximated by fitting read counts of each spike-in across cells to a mixture model (see Methods). The second part, addresses drop-out effects. Based on the observed drop-out rate for spike-ins of a given concentration, the 'drop-out injection distribution' models the likelihood that a given transcript concentration will result in a drop-out. The 'drop-out recovery distribution' is estimated from the drop-out injection distribution using Bayes' theorem and models the likelihood that a transcript that had no observed counts in a cell was a false negative. This function performs the first step of BEARscc. For further algorithmic detail please refer to our manuscript methods.

## Value

The resulting output of estimate\_noiseparameters() is another SingleCellExperiment class object; however four new annotations that describe the drop-out and variance models computed by BEARscc have been added to the metadata of the SingleCellExperiment object. Specifically.

### dropout\_parameters

A data.frame listing gene-wise parameters necessary for computing drop-out recovery and injection probabilities in order to define the two drop-out models for zero observation and positive values within the drop-out range by simulate\_replicates().

### spikein\_parameters

A data.frame of the estimated noise model parameters utilized by simulate\_replicates() to simulate replicates in non-zero observations.

### genewiseDropouts

A data.frame of the estimated probabilities used in the Bayes' calculation of the probabilities described in dropout\_parameters. While these are not use in further analysis, they are supplied here for the user's reference.

## Note

Frequently, the user will want to compute simulated technical replicates in a high performance computational environment. While the function outputs the necessary information for create\_noiseinjected\_counts(), with the option write\_noise\_model=TRUE users are able to save two tab delimited files necessary to run HPC\_generate\_noise\_matrices.R on a high performance computational cluster. The option file is used to indicate the desired root label of the files, "\*\_bayesianestimates.xls" and "\*\_parameters4randomize.xls".

In the examples section, the parameter, alpha\_resolution is set to 0.25, which is a terrible resolution for estimating noise, but allows the example to run in reasonable to time for checking the help files. We recommend the default parameter: alpha\_resolution=0.005.

**Author(s)**

David T. Severson <david\_severson@hms.harvard.edu>

Maintainer: Benjamin Schuster-Boeckler <benjamin.schuster-boeckler@ludwig.ox.ac.uk>

**Examples**

```
library("SingleCellExperiment")
data("BEARscc_examples")

#For execution on local machine
BEAR_examples.sce <- estimate_noiseparameters(BEAR_examples.sce,
  alpha_resolution=0.25, write_noise_model=FALSE)
BEAR_examples.sce

#To save results as files for abnalysis on a
#high performance computational cluster
estimate_noiseparameters(BEAR_examples.sce, write_noise_model=TRUE,
  alpha_resolution=0.25, file="noise_estimation",
  model_view=c("Observed", "Optimized"))
```

---

report\_cell\_metrics    *Reports BEARscc metrics for cells.*

---

**Description**

To quantitatively evaluate the results, three metrics are calculated from the noise consensus matrix: 'stability' is the average frequency with which cells within a cluster associate with each other across simulated replicates; 'promiscuity' measures the association frequency between cells within a cluster and those outside of it; and 'score' is the difference between 'stability' and 'promiscuity'. Importantly, 'score' reflects the overall "robustness" of a cluster and its constitutive samples to technical variance. These metrics may be calculated on cell or cluster-wise basis; here, they are calculated cell-wise.

**Usage**

```
report_cell_metrics(cluster_labels, consensus_matrix)
```

**Arguments**

`cluster_labels` Cluster labels for each cell across various cluster numbers and the original clustering.

`consensus_matrix`  
A noise consensus output by `compute_consensus()`

**Value**

A melted data frame of BEARscc metrics for each cell:

[,1]	"Cluster.identity"	The number of the cluster within the respective clustering
[,2]	"Cell"	The identifier of the sample in question.
[,3]	"Cluster.size"	Number of samples in the cluster.
[,4]	"Metric"	Whether the metric is the BEARscc Score, Promiscuity, or Stability.
[,5]	"Value"	Value of the relevant BEARscc metric for the cell in a given clustering.
[,6]	"Clustering"	The clustering pertinent to the cell-wise metrics described.

**Author(s)**

David T. Severson <david\_severson@hms.harvard.edu>

Maintainer: Benjamin Schuster-Boeckler <benjamin.schuster-boeckler@ludwig.ox.ac.uk>

**Examples**

```
data(analysis_examples)
```

```
cell_scores.df <- report_cell_metrics(BEARscc_clusts.df, noise_consensus)
cell_scores.df
```

---

```
report_cluster_metrics
```

*Reports BEARscc metrics for clusters.*

---

**Description**

To quantitatively evaluate the results, three metrics are calculated from the noise consensus matrix: 'stability' is the average frequency with which cells within a cluster associate with each other across simulated replicates; 'promiscuity' measures the association frequency between cells within a cluster and those outside of it; and 'score' is the difference between 'stability' and 'promiscuity'. Importantly, 'score' reflects the overall "robustness" of a cluster to technical variance. These metrics may be calculated on cell or cluster-wise basis; here, they are calculated cluster-wise.

**Usage**

```
report_cluster_metrics(cluster_labels, consensus_matrix,
  weighted_mean = FALSE, plot = FALSE, file = "Rplot")
```

**Arguments**

`cluster_labels` Cluster labels for each cell across various cluster numbers and the original clustering.

`consensus_matrix`  
A noise consensus output by `compute_consensus()`

weighted_mean	A flag indicating whether to weigh observed clusters evenly or scale them by the number of samples in the cluster.
plot	A flag to determine whether to plot the boxplot of cluster metrics evaluated from the noise consensus with root file.
file	A string indicating the root desired for the resulting plots of the function.

**Value**

A melted data frame of BEARscc metrics for each cluster:

[,1]	"Cluster.identity"	The number of the cluster within the respective clustering.
[,2]	"Cluster.size"	Number of samples in the cluster.
[,3]	"Metric"	Whether the metric is the BEARscc score, promiscuity, or stability.
[,4]	"Value"	Value of the relevant BEARscc metric for the cluster in a clustering.
[,5]	"Clustering"	The clustering pertinent to the cell-wise metrics described.
[,6]	"Singlet"	A binary output concerning whether the cluster consists of a single sample.
[,7]	"Clustering.Mean"	The average of the respective metric across cells of the cluster.

**Author(s)**

David T. Sevrerson <david\_sevrerson@hms.harvard.edu>

Maintainer: Benjamin Schuster-Boeckler <benjamin.schuster-boeckler@ludwig.ox.ac.uk>

**Examples**

```
data(analysis_examples)

cluster_scores.df <- report_cluster_metrics(BEARscc_clusts.df, noise_consensus,
  plot=TRUE, file="example")
cluster_scores.df
```

---

simulate\_replicates    *Computes BEARscc simulated technical replicates.*

---

**Description**

Computes BEARscc simulated technical replicates from the previously estimated noise parameters computed with the function estimate\_noise\_parameters().

**Usage**

```
simulate_replicates(SCEList, max_cumprob=0.9999, n = 3)
```

**Arguments**

SCElist	A SingleCellExpression object that has been appropriately processed by estimate_noiseparameters to add the necessary parameters describing the noise model for drop-outs and variance in the single cell experiment.
max_cumprob	Because a cumulative distribution will range from n=0 to a countable infinity, the event space needs to be set to cover a reasonable fraction of the probability density. This parameter determines the the fraction of probability density covered by the event space, which in turn defines the highest count number in the event space. We recommend users use the default value of 0.9999. However, if the default value was altered in estimate_noiseparameters(), then the value used in that function is most definitely what should be input here!
n	The number of simulated technical replicates to generate.

**Details**

In the second step of BEARscc, the algorithm applies the model from first step to produce simulated technical replicates. For every observed gene count below which drop-outs occurred amongst the spike-ins, BEARscc assesses whether to convert the count to zero (using the drop-out injection distribution). For observations where the count is zero, the drop-out recovery distribution is used to estimate a new value, based on the overall drop-out frequency for that gene. After this drop-out processing, all non-zero counts are substituted with a value generated by the model of expression variance created in the first step. parameterized to the observed counts for each gene. This second step is repeated any number of times (as prescribed by parameter n) to generate a collection of simulated technical replicates for downstream analysis.

**Value**

The resulting object is a list of counts data that is added to the metadata of the SingleCellExpression object as a long list titled "simulated\_replicates". Each element of the list is a data.frame of the counts representing a BEARscc simulated technical replicate, e.g for n=10 we would have the list:

```
[,1] Counts data.frame of simulated replicate 1.
[,2] Counts data.frame of simulated replicate 2.
[,3] Counts data.frame of simulated replicate 3.
[,4] Counts data.frame of simulated replicate 4.
[,5] Counts data.frame of simulated replicate 5.
[,6] Counts data.frame of simulated replicate 6.
[,7] Counts data.frame of simulated replicate 7.
[,8] Counts data.frame of simulated replicate 8.
[,9] Counts data.frame of simulated replicate 9.
[,10] Counts data.frame of simulated replicate 10.
[,11] Counts data.frame of observed data.
```

**A brief description of subfunctions**

simulate\_replicates relies on the following subfunctions to generate simulated technical replicates. These functions share many common options with the user interactive function. For those

options that are internal to the programming; these are annotated to give an idea of flow. For further detail please examine source code in the R directory of this package:

- `spikes_prepared <- execute_noiseinjected_counts(n=1, noise_parameters=estimated_noise, total_sampling)`
- `probs4detection.genes<-t(data.frame( noise_parameters$bayes_parameters, row.names = "k"), 4:eval(dim(noise_parameters$bayes_parameters)[2]-1))`
- `probs4detection.k<-data.frame( noise_parameters$bayes_parameters[,2:4, with=FALSE], row.names = "k")`
- `noisy_counts<-data.table(noise_parameters$original_counts, keep.rownames = TRUE)[,apply(.SD, 1, `genewise_permute_count`, probs4detection.k=probs4detection.k, probs4detection.genes=probs4detection.genes, noise_parameters=noise_parameters$ERCC_parameters, total_sampling=total_sampling)]`
- `probabilityA<-probs4detection.genes[gsub("-", ".", x[1]),]`
- `apply(data.frame(as.numeric(x[-1])), 1, `permute_count`, probs4detection.k, probabilityA=probabilityA, noise_parameters=noise_parameters, total_sampling)`
- Under various conditions some form of `nx<-randomizer(x, parameters, total_sampling)` is invoked.

### Note

Frequently, the user will want to compute simulated technical replicates in a high performance computational environment. When running `estimate_noise_parameters()` using the option `write_noise_model=TRUE`, the user receives the files with root file="noise\_estimation", "noise\_estimation\_counts4clusterperturbation.xls", "noise\_estimation\_bayesianestimates.xls" and "noise\_estimation\_parameters4randomize.xls". These files may be input into the example code, `HPC_generate_noise_matrices.R`, on a high performance computational environment for faster processing.

### Author(s)

David T. Severson <david\_severson@hms.harvard.edu>

Maintainer: Benjamin Schuster-Boeckler <benjamin.schuster-boeckler@ludwig.ox.ac.uk>

### See Also

The example code for running the simulation of technical replicates on a high performance computing cluster can be found in `inst/example/`.

The code for generating simulated technical replicates on a high powered compute node requires the function, `HPC_simulate_replicates()`.

### Examples

```
library("SingleCellExperiment")
data(analysis_examples)
```

```
BEAR_simreplicates.sce<-simulate_replicates(BEAR_analyzed.sce, n=3)
BEAR_simreplicates.sce
```

# Index

- \* **cluster**
  - BEARscc-package, 2
  - cluster\_consensus, 5
- \* **datasets**
  - analysis\_examples, 3
  - BEARscc\_examples, 4
- \* **distribution**
  - estimate\_noiseparameters, 7
- \* **error**
  - compute\_consensus, 6
- \* **list**
  - report\_cell\_metrics, 10
  - report\_cluster\_metrics, 11
- \* **models**
  - BEARscc-package, 2
  - compute\_consensus, 6
  - estimate\_noiseparameters, 7
  - simulate\_replicates, 12
- \* **optimize**
  - BEARscc-package, 2
  - cluster\_consensus, 5
- \* **robust**
  - BEARscc-package, 2
  - simulate\_replicates, 12
- . (report\_cell\_metrics), 10
- .Random.seed (analysis\_examples), 3
  
- analysis\_examples, 3
- apply\_bayes (estimate\_noiseparameters), 7
  
- BEAR\_analyzed.sce (analysis\_examples), 3
- BEAR\_examples.sce (BEARscc\_examples), 4
- BEARscc (BEARscc-package), 2
- BEARscc-package, 2
- BEARscc\_clusts.df (analysis\_examples), 3
- BEARscc\_examples, 4
- build\_dropoutmodel (estimate\_noiseparameters), 7
  
- calculate\_cell\_metrics (report\_cell\_metrics), 10
- calculate\_cell\_metrics\_by\_cluster (report\_cell\_metrics), 10
- calculate\_cluster\_metrics (report\_cluster\_metrics), 11
- calculate\_cluster\_metrics\_by\_cluster (report\_cluster\_metrics), 11
- cleanup\_model\_names (estimate\_noiseparameters), 7
- cluster\_consensus, 5
- clusters.df (analysis\_examples), 3
- compute\_alpha (estimate\_noiseparameters), 7
- compute\_consensus, 6
- compute\_genewise\_dropouts (estimate\_noiseparameters), 7
- counts2mpc (estimate\_noiseparameters), 7
- create\_cm (compute\_consensus), 6
- create\_null\_dropout\_model (estimate\_noiseparameters), 7
  
- data.counts.df (BEARscc\_examples), 4
- ERCC.counts.df (BEARscc\_examples), 4
- ERCC.meta.df (BEARscc\_examples), 4
- estimate\_missingdata (estimate\_noiseparameters), 7
- estimate\_mu2sigma (estimate\_noiseparameters), 7
- estimate\_noiseparameters, 7
- estimate\_undetected2molpercell (estimate\_noiseparameters), 7
- example\_code (simulate\_replicates), 12
- execute\_noiseinjected\_counts (simulate\_replicates), 12
- execute\_sim\_replicates (simulate\_replicates), 12
  
- fill\_out\_count\_probability\_table (simulate\_replicates), 12

gene\_name (simulate\_replicates), 12  
genewise\_dropouts  
    (simulate\_replicates), 12  
HPC\_simulate\_replicates  
    (simulate\_replicates), 12  
iterate\_alphas  
    (estimate\_noiseparameters), 7  
iterate\_spikeins  
    (estimate\_noiseparameters), 7  
L1 (report\_cluster\_metrics), 11  
mean.prom (report\_cluster\_metrics), 11  
melt\_spikeins  
    (estimate\_noiseparameters), 7  
noise\_consensus (analysis\_examples), 3  
Overall.mean (report\_cluster\_metrics),  
    11  
permute\_count\_in\_dropout\_range  
    (simulate\_replicates), 12  
plot\_alpha2mu  
    (estimate\_noiseparameters), 7  
plot\_cluster\_metrics  
    (report\_cluster\_metrics), 11  
plot\_mu2sigma  
    (estimate\_noiseparameters), 7  
plot\_obs2actual  
    (estimate\_noiseparameters), 7  
plot\_spikein\_fits  
    (estimate\_noiseparameters), 7  
prepare\_data  
    (estimate\_noiseparameters), 7  
randomizer (simulate\_replicates), 12  
recluster (analysis\_examples), 3  
report\_cell\_metrics, 10  
report\_cluster\_metrics, 11  
rn (report\_cell\_metrics), 10  
sample\_models  
    (estimate\_noiseparameters), 7  
simulate\_replicates, 12  
size (report\_cluster\_metrics), 11  
subcompute\_sample\_models  
    (estimate\_noiseparameters), 7  
subplot\_spikein\_fits  
    (estimate\_noiseparameters), 7  
transcripts (estimate\_noiseparameters),  
    7  
V1 (estimate\_noiseparameters), 7  
value (report\_cluster\_metrics), 11  
write\_noise\_model  
    (estimate\_noiseparameters), 7