

Package ‘BiocHubsShiny’

April 17, 2024

Type Package

Title View AnnotationHub and ExperimentHub Resources Interactively

Version 1.3.0

Description A package that allows interactive exploration of AnnotationHub and ExperimentHub resources. It uses DT / DataTable to display resources for multiple organisms. It provides template code for reproducibility and for downloading resources via the indicated Hub package.

License Artistic-2.0

Encoding UTF-8

Depends R (>= 4.3.0), shiny

Imports AnnotationHub, ExperimentHub, DT, htmlwidgets, S4Vectors, shinyAce, shinyjs, shinythemes, shinytoastr, utils

Suggests BiocManager, BiocStyle, knitr, rmarkdown, sessioninfo, shinytest2

biocViews Software, ShinyApps

BugReports <https://github.com/Bioconductor/BiocHubsShiny/issues>

URL <https://github.com/Bioconductor/BiocHubsShiny>

VignetteBuilder knitr

Roxygen list(markdown = TRUE)

RoxygenNote 7.2.3

git_url <https://git.bioconductor.org/packages/BiocHubsShiny>

git_branch devel

git_last_commit f4efd09

git_last_commit_date 2023-10-24

Repository Bioconductor 3.19

Date/Publication 2024-04-17

Author Marcel Ramos [aut, cre] (<<https://orcid.org/0000-0002-3242-0582>>), Vincent Carey [ctb]

Maintainer Marcel Ramos <marcel.amos@roswellpark.org>

Contents

BioHubsShiny	2
Index	3

BioHubsShiny	<i>Initialize the shiny application for Bioconductor Hub resources</i>
--------------	--

Description

The shiny app will allow the user to view a table of either [AnnotationHub](#) or [ExperimentHub](#) resources depending on the sidebar selection. It provides example code for downloading the selected resources.

Usage

```
BioHubsShiny(...)
```

Arguments

... Further arguments to the runApp function

Details

Note. The code here was adapted from interactiveDisplayBase and ?'display,Hub-method' which are now deprecated.

Value

Mainly called for the side effect of displaying the shiny app in a browser

Examples

```
if (interactive()) {
  BioHubsShiny()
}
```

Index

[AnnotationHub](#), [2](#)

[BioHubsShiny](#), [2](#)

[ExperimentHub](#), [2](#)