

# CTCF

April 22, 2024

---

T2T.CIS\_BP\_2.00\_Homo\_sapiens  
*T2T.CIS\_BP\_2.00\_Homo\_sapiens*

---

## Description

T2T CTCF motifs detected using human PWM matrices from <http://cisbp.ccb.utoronto.ca/>, by FIMO. Filtering by p-value < 1e-6 and reducing GRanges is recommended.

## Author(s)

Mikhail Dozmorov <mikhail.dozmorov@gmail.com>

---

T2T.CTCFBSDB\_PWM      *T2T.CTCFBSDB\_PWM*

---

## Description

T2T CTCF motifs detected using PWM matrices from <https://insulatordb.uthsc.edu/>, by FIMO. Filtering by p-value < 1e-6 and reducing GRanges is recommended.

## Author(s)

Mikhail Dozmorov <mikhail.dozmorov@gmail.com>

---

T2T.HOCOMOCov11\_core\_HUMAN\_mono\_meme\_format

*T2T.HOCOMOCov11\_core\_HUMAN\_mono\_meme\_format*

---

**Description**

T2T CTCF motifs detected using human PWM matrices from <https://hocomoco11.autosome.org/>, by FIMO. Filtering by p-value < 1e-6 and reducing GRanges is recommended.

**Author(s)**

Mikhail Dozmorov <mikhail.dozmorov@gmail.com>

---

T2T.JASPAR2022\_CORE\_vertibrates\_non\_redundant\_v2

*T2T.JASPAR2022\_CORE\_vertibrates\_non\_redundant\_v2*

---

**Description**

T2T CTCF motifs detected using human PWM matrices from <https://jaspar.genereg.net/>, by FIMO. Filtering by p-value < 1e-6 and reducing GRanges is recommended.

**Author(s)**

Mikhail Dozmorov <mikhail.dozmorov@gmail.com>

---

T2T.Jolma2013

*T2T.Jolma2013*

---

**Description**

T2T CTCF motifs detected using PWM matrices from DOI:10.1016/j.cell.2012.12.009, by FIMO. Filtering by p-value < 1e-6 and reducing GRanges is recommended.

**Author(s)**

Mikhail Dozmorov <mikhail.dozmorov@gmail.com>

---

T2T.MA0139.1

*T2T.MA0139.1*

---

**Description**

T2T CTCF motifs detected using MA0139.1 PWM matrix from <https://jaspar.genereg.net/>, by FIMO. Filtering by p-value < 1e-6 and reducing GRanges is recommended.

**Author(s)**

Mikhail Dozmorov <[mikhail.dozmorov@gmail.com](mailto:mikhail.dozmorov@gmail.com)>

---

T2T.SwissRegulon\_human\_and\_mouse

*T2T.SwissRegulon\_human\_and\_mouse*

---

**Description**

T2T CTCF motifs detected using PWM matrices from <https://swissregulon.unibas.ch/sr/>, by FIMO. Filtering by p-value < 1e-6 and reducing GRanges is recommended.

**Author(s)**

Mikhail Dozmorov <[mikhail.dozmorov@gmail.com](mailto:mikhail.dozmorov@gmail.com)>

---

hg18.CTCFBSDB.CTCF\_predicted\_human

*hg18.CTCFBSDB.CTCF\_predicted\_human*

---

**Description**

hg18 CTCF predicted motifs from <https://insulatordb.uthsc.edu/>.

**Author(s)**

Mikhail Dozmorov <[mikhail.dozmorov@gmail.com](mailto:mikhail.dozmorov@gmail.com)>

---

hg18.MA0139.1      *hg18.MA0139.1*

---

**Description**

hg18 CTCF motifs detected using MA0139.1 PWM matrix from <https://jaspar.genereg.net/>, by FIMO. Filtering by p-value < 1e-6 and reducing GRanges is recommended.

**Author(s)**

Mikhail Dozmorov <mikhail.dozmorov@gmail.com>

---

hg19.CIS\_BP\_2.00\_Homo\_sapiens  
*hg19.CIS\_BP\_2.00\_Homo\_sapiens*

---

**Description**

hg19 CTCF motifs detected using human PWM matrices from <http://cisbp.cibr.utoronto.ca/>, by FIMO. Filtering by p-value < 1e-6 and reducing GRanges is recommended.

**Author(s)**

Mikhail Dozmorov <mikhail.dozmorov@gmail.com>

---

hg19.CTCFBSDB.CTCF\_predicted\_human  
*hg19.CTCFBSDB.CTCF\_predicted\_human*

---

**Description**

hg19 CTCF predicted motifs from <https://insulatordb.uthsc.edu/>. liftOver from hg18

**Author(s)**

Mikhail Dozmorov <mikhail.dozmorov@gmail.com>

---

hg19.CTCFBSDB\_PWM      *hg19.CTCFBSDB\_PWM*

---

**Description**

hg19 CTCF motifs detected using PWM matrices from <https://insulatordb.uthsc.edu/>, by FIMO. Filtering by p-value < 1e-6 and reducing GRanges is recommended.

**Author(s)**

Mikhail Dozmorov <mikhail.dozmorov@gmail.com>

---

hg19.HOCOMOCov11\_core\_HUMAN\_mono\_meme\_format  
*hg19.HOCOMOCov11\_core\_HUMAN\_mono\_meme\_format*

---

**Description**

hg19 CTCF motifs detected using human PWM matrices from <https://hocomoco11.autosome.org/>, by FIMO. Filtering by p-value < 1e-6 and reducing GRanges is recommended.

**Author(s)**

Mikhail Dozmorov <mikhail.dozmorov@gmail.com>

---

hg19.JASPAR2022\_CORE\_vertibrates\_non\_redundant\_v2  
*hg19.JASPAR2022\_CORE\_vertibrates\_non\_redundant\_v2*

---

**Description**

hg19 CTCF motifs detected using human PWM matrices from <https://jaspar.genereg.net/>, by FIMO. Filtering by p-value < 1e-6 and reducing GRanges is recommended.

**Author(s)**

Mikhail Dozmorov <mikhail.dozmorov@gmail.com>

---

hg19.Jolma2013

*hg19.Jolma2013*

---

**Description**

hg19 CTCF motifs detected using PWM matrices from DOI:10.1016/j.cell.2012.12.009, by FIMO. Filtering by p-value < 1e-6 and reducing GRanges is recommended.

**Author(s)**

Mikhail Dozmorov <mikhail.dozmorov@gmail.com>

---

hg19.MA0139.1

*hg19.MA0139.1*

---

**Description**

hg19 CTCF motifs detected using MA0139.1 PWM matrix from <https://jaspar.genereg.net/>, by FIMO. Filtering by p-value < 1e-6 and reducing GRanges is recommended.

**Author(s)**

Mikhail Dozmorov <mikhail.dozmorov@gmail.com>

---

hg19.SwissRegulon\_human\_and\_mouse

*hg19.SwissRegulon\_human\_and\_mouse*

---

**Description**

hg19 CTCF motifs detected using PWM matrices from <https://swissregulon.unibas.ch/sr/>, by FIMO. Filtering by p-value < 1e-6 and reducing GRanges is recommended.

**Author(s)**

Mikhail Dozmorov <mikhail.dozmorov@gmail.com>

---

hg38.CIS\_BP\_2.00\_Homo\_sapiens

*hg38.CIS\_BP\_2.00\_Homo\_sapiens*

---

**Description**

hg38 CTCF motifs detected using human PWM matrices from <http://cisbp.cabr.utoronto.ca/>, by FIMO. Filtering by p-value < 1e-6 and reducing GRanges is recommended.

**Author(s)**

Mikhail Dozmorov <mikhail.dozmorov@gmail.com>

---

hg38.CTCFBSDB.CTCF\_predicted\_human

*hg38.CTCFBSDB.CTCF\_predicted\_human*

---

**Description**

hg38 CTCF predicted motifs from <https://insulatordb.uthsc.edu/>. liftOver from hg18

**Author(s)**

Mikhail Dozmorov <mikhail.dozmorov@gmail.com>

---

hg38.CTCFBSDB\_PWM

*hg38.CTCFBSDB\_PWM*

---

**Description**

hg38 CTCF motifs detected using PWM matrices from <https://insulatordb.uthsc.edu/>, by FIMO. Filtering by p-value < 1e-6 and reducing GRanges is recommended.

**Author(s)**

Mikhail Dozmorov <mikhail.dozmorov@gmail.com>

---

hg38.HOCOMOCOv11\_core\_HUMAN\_mono\_meme\_format  
*hg38.HOCOMOCOv11\_core\_HUMAN\_mono\_meme\_format*

---

**Description**

hg38 CTCF motifs detected using human PWM matrices from <https://hocomoco11.autosome.org/>, by FIMO. Filtering by p-value < 1e-6 and reducing GRanges is recommended.

**Author(s)**

Mikhail Dozmorov <mikhail.dozmorov@gmail.com>

---

hg38.JASPAR2022\_CORE\_vertibrates\_non\_redundant\_v2  
*hg38.JASPAR2022\_CORE\_vertibrates\_non\_redundant\_v2*

---

**Description**

hg38 CTCF motifs detected using human PWM matrices from <https://jaspar.genereg.net/>, by FIMO. Filtering by p-value < 1e-6 and reducing GRanges is recommended.

**Author(s)**

Mikhail Dozmorov <mikhail.dozmorov@gmail.com>

---

hg38.Jolma2013      *hg38.Jolma2013*

---

**Description**

hg38 CTCF motifs detected using PWM matrices from DOI:10.1016/j.cell.2012.12.009, by FIMO. Filtering by p-value < 1e-6 and reducing GRanges is recommended.

**Author(s)**

Mikhail Dozmorov <mikhail.dozmorov@gmail.com>

---

hg38.MA0139.1	<i>hg38.MA0139.1</i>
---------------	----------------------

---

**Description**

hg38 CTCF motifs detected using MA0139.1 PWM matrix from <https://jaspar.genereg.net/>, by FIMO. Filtering by p-value < 1e-6 and reducing GRanges is recommended.

**Author(s)**

Mikhail Dozmorov <mikhail.dozmorov@gmail.com>

---

hg38.SCREEN.GRCh38_CTCF	<i>hg38.SCREEN.GRCh38_CTCF</i>
-------------------------	--------------------------------

---

**Description**

hg38 CTCF-bound human cis-regulatory elements from <https://screen.encodeproject.org/>. Derived from experimentally obtained data.

**Author(s)**

Mikhail Dozmorov <mikhail.dozmorov@gmail.com>

---

hg38.SwissRegulon_human_and_mouse	<i>hg38.SwissRegulon_human_and_mouse</i>
-----------------------------------	--

---

**Description**

hg38 CTCF motifs detected using PWM matrices from <https://swissregulon.unibas.ch/sr/>, by FIMO. Filtering by p-value < 1e-6 and reducing GRanges is recommended.

**Author(s)**

Mikhail Dozmorov <mikhail.dozmorov@gmail.com>

mm10.CIS\_BP\_2.00\_Homo\_sapiens  
*mm10.CIS\_BP\_2.00\_Homo\_sapiens*

---

**Description**

mm10 CTCF motifs detected using human PWM matrices from <http://cisbp.cibr.utoronto.ca/>, by FIMO. Filtering by p-value < 1e-6 and reducing GRanges is recommended.

**Author(s)**

Mikhail Dozmorov <mikhail.dozmorov@gmail.com>

---

mm10.CTCFBSDB.CTCF\_predicted\_human  
*mm10.CTCFBSDB.CTCF\_predicted\_human*

---

**Description**

mm10 CTCF predicted motifs from <https://insulatordb.uthsc.edu/>. liftOver from mm8

**Author(s)**

Mikhail Dozmorov <mikhail.dozmorov@gmail.com>

---

mm10.CTCFBSDB\_PWM      *mm10.CTCFBSDB\_PWM*

---

**Description**

mm10 CTCF motifs detected using PWM matrices from <https://insulatordb.uthsc.edu/>, by FIMO. Filtering by p-value < 1e-6 and reducing GRanges is recommended.

**Author(s)**

Mikhail Dozmorov <mikhail.dozmorov@gmail.com>

---

mm10.HOCOMOCOv11\_core\_HUMAN\_mono\_meme\_format

*mm10.HOCOMOCOv11\_core\_HUMAN\_mono\_meme\_format*

---

### **Description**

mm10 CTCF motifs detected using human PWM matrices from <https://hocomoco11.autosome.org/>, by FIMO. Filtering by p-value < 1e-6 and reducing GRanges is recommended.

### **Author(s)**

Mikhail Dozmorov <mikhail.dozmorov@gmail.com>

---

mm10.JASPAR2022\_CORE\_vertbrates\_non\_redundant\_v2

*mm10.JASPAR2022\_CORE\_vertbrates\_non\_redundant\_v2*

---

### **Description**

mm10 CTCF motifs detected using human PWM matrices from <https://jaspar.genereg.net/>, by FIMO. Filtering by p-value < 1e-6 and reducing GRanges is recommended.

### **Author(s)**

Mikhail Dozmorov <mikhail.dozmorov@gmail.com>

---

mm10.Jolma2013

*mm10.Jolma2013*

---

### **Description**

mm10 CTCF motifs detected using PWM matrices from DOI:10.1016/j.cell.2012.12.009, by FIMO. Filtering by p-value < 1e-6 and reducing GRanges is recommended.

### **Author(s)**

Mikhail Dozmorov <mikhail.dozmorov@gmail.com>

---

mm10.MA0139.1

*mm10.MA0139.1*

---

**Description**

mm10 CTCF motifs detected using MA0139.1 PWM matrix from <https://jaspar.genereg.net/>, by FIMO. Filtering by p-value < 1e-6 and reducing GRanges is recommended.

**Author(s)**

Mikhail Dozmorov <mikhail.dozmorov@gmail.com>

---

mm10.SCREEN.GRCh38\_CTCF

*mm10.SCREEN.GRCh38\_CTCF*

---

**Description**

mm10 CTCF-bound human cis-regulatory elements from <https://screen.encodeproject.org/>. Derived from experimentally obtained data.

**Author(s)**

Mikhail Dozmorov <mikhail.dozmorov@gmail.com>

---

mm10.SwissRegulon\_human\_and\_mouse

*mm10.SwissRegulon\_human\_and\_mouse*

---

**Description**

mm10 CTCF motifs detected using PWM matrices from <https://swissregulon.unibas.ch/sr/>, by FIMO. Filtering by p-value < 1e-6 and reducing GRanges is recommended.

**Author(s)**

Mikhail Dozmorov <mikhail.dozmorov@gmail.com>

---

mm39.CIS\_BP\_2.00\_Homo\_sapiens  
*mm39.CIS\_BP\_2.00\_Homo\_sapiens*

---

**Description**

mm39 CTCF motifs detected using human PWM matrices from <http://cisbp.cibr.utoronto.ca/>, by FIMO. Filtering by p-value < 1e-6 and reducing GRanges is recommended.

**Author(s)**

Mikhail Dozmorov <mikhail.dozmorov@gmail.com>

---

mm39.CTCFBSDB\_PWM      *mm39.CTCFBSDB\_PWM*

---

**Description**

mm39 CTCF motifs detected using PWM matrices from <https://insulatordb.uthsc.edu/>, by FIMO. Filtering by p-value < 1e-6 and reducing GRanges is recommended.

**Author(s)**

Mikhail Dozmorov <mikhail.dozmorov@gmail.com>

---

mm39.HOCOMOCov11\_core\_HUMAN\_mono\_meme\_format  
*mm39.HOCOMOCov11\_core\_HUMAN\_mono\_meme\_format*

---

**Description**

mm39 CTCF motifs detected using human PWM matrices from <https://hocomoco11.autosome.org/>, by FIMO. Filtering by p-value < 1e-6 and reducing GRanges is recommended.

**Author(s)**

Mikhail Dozmorov <mikhail.dozmorov@gmail.com>

---

mm39.JASPAR2022\_CORE Vertebrates\_non\_redundant\_v2  
*mm39.JASPAR2022\_CORE Vertebrates\_non\_redundant\_v2*

---

**Description**

mm39 CTCF motifs detected using human PWM matrices from <https://jaspar.genereg.net/>, by FIMO. Filtering by p-value < 1e-6 and reducing GRanges is recommended.

**Author(s)**

Mikhail Dozmorov <mikhail.dozmorov@gmail.com>

---

mm39.Jolma2013                      *mm39.Jolma2013*

---

**Description**

mm39 CTCF motifs detected using PWM matrices from DOI:10.1016/j.cell.2012.12.009, by FIMO. Filtering by p-value < 1e-6 and reducing GRanges is recommended.

**Author(s)**

Mikhail Dozmorov <mikhail.dozmorov@gmail.com>

---

mm39.MA0139.1                      *mm39.MA0139.1*

---

**Description**

mm39 CTCF motifs detected using MA0139.1 PWM matrix from <https://jaspar.genereg.net/>, by FIMO. Filtering by p-value < 1e-6 and reducing GRanges is recommended.

**Author(s)**

Mikhail Dozmorov <mikhail.dozmorov@gmail.com>

---

mm39.SwissRegulon\_human\_and\_mouse  
*mm39.SwissRegulon\_human\_and\_mouse*

---

**Description**

mm39 CTCF motifs detected using PWM matrices from <https://swissregulon.unibas.ch/sr/>, by FIMO. Filtering by p-value < 1e-6 and reducing GRanges is recommended.

**Author(s)**

Mikhail Dozmorov <mikhail.dozmorov@gmail.com>

---

mm8.CTCFBSDB.CTCF\_predicted\_human  
*mm8.CTCFBSDB.CTCF\_predicted\_human*

---

**Description**

mm8 CTCF predicted motifs from <https://insulatordb.uthsc.edu/>.

**Author(s)**

Mikhail Dozmorov <mikhail.dozmorov@gmail.com>

---

mm9.CIS\_BP\_2.00\_Homo\_sapiens  
*mm9.CIS\_BP\_2.00\_Homo\_sapiens*

---

**Description**

mm9 CTCF motifs detected using human PWM matrices from <http://cisbp.cibr.utoronto.ca/>, by FIMO. Filtering by p-value < 1e-6 and reducing GRanges is recommended.

**Author(s)**

Mikhail Dozmorov <mikhail.dozmorov@gmail.com>

---

mm9.CTCFBSDB.CTCF\_predicted\_human  
*mm9.CTCFBSDB.CTCF\_predicted\_human*

---

**Description**

mm9 CTCF predicted motifs from <https://insulatordb.uthsc.edu/>. liftOver from mm8

**Author(s)**

Mikhail Dozmorov <mikhail.dozmorov@gmail.com>

---

mm9.CTCFBSDB\_PWM      *mm9.CTCFBSDB\_PWM*

---

**Description**

mm9 CTCF motifs detected using PWM matrices from <https://insulatordb.uthsc.edu/>, by FIMO. Filtering by p-value < 1e-6 and reducing GRanges is recommended.

**Author(s)**

Mikhail Dozmorov <mikhail.dozmorov@gmail.com>

---

mm9.HOCOMOCov11\_core\_HUMAN\_mono\_meme\_format  
*mm9.HOCOMOCov11\_core\_HUMAN\_mono\_meme\_format*

---

**Description**

mm9 CTCF motifs detected using human PWM matrices from <https://hocomoco11.autosome.org/>, by FIMO. Filtering by p-value < 1e-6 and reducing GRanges is recommended.

**Author(s)**

Mikhail Dozmorov <mikhail.dozmorov@gmail.com>

---

mm9.JASPAR2022\_CORE\_vertibrates\_non\_redundant\_v2

*mm9.JASPAR2022\_CORE\_vertibrates\_non\_redundant\_v2*

---

### Description

mm9 CTCF motifs detected using human PWM matrices from <https://jaspar.genereg.net/>, by FIMO. Filtering by p-value < 1e-6 and reducing GRanges is recommended.

### Author(s)

Mikhail Dozmorov <mikhail.dozmorov@gmail.com>

---

mm9.Jolma2013

*mm9.Jolma2013*

---

### Description

mm9 CTCF motifs detected using PWM matrices from DOI:10.1016/j.cell.2012.12.009, by FIMO. Filtering by p-value < 1e-6 and reducing GRanges is recommended.

### Author(s)

Mikhail Dozmorov <mikhail.dozmorov@gmail.com>

---

mm9.MA0139.1

*mm9.MA0139.1*

---

### Description

mm9 CTCF motifs detected using MA0139.1 PWM matrix from <https://jaspar.genereg.net/>, by FIMO. Filtering by p-value < 1e-6 and reducing GRanges is recommended.

### Author(s)

Mikhail Dozmorov <mikhail.dozmorov@gmail.com>

---

mm9.SwissRegulon\_human\_and\_mouse

*mm9.SwissRegulon\_human\_and\_mouse*

---

**Description**

mm9 CTCF motifs detected using PWM matrices from <https://swissregulon.unibas.ch/sr/>, by FIMO. Filtering by p-value < 1e-6 and reducing GRanges is recommended.

**Author(s)**

Mikhail Dozmorov <mikhail.dozmorov@gmail.com>

# Index

hg18.CTCFBSDB.CTCF\_predicted\_human, 3  
hg18.MA0139.1, 4  
hg19.CIS\_BP\_2.00\_Homo\_sapiens, 4  
hg19.CTCFBSDB.CTCF\_predicted\_human, 4  
hg19.CTCFBSDB\_PWM, 5  
hg19.HOCOMOCov11\_core\_HUMAN\_mono\_meme\_format, 5  
hg19.JASPAR2022\_CORE\_vertibrates\_non\_redundant\_v2, 5  
hg19.Jolma2013, 6  
hg19.MA0139.1, 6  
hg19.SwissRegulon\_human\_and\_mouse, 6  
hg38.CIS\_BP\_2.00\_Homo\_sapiens, 7  
hg38.CTCFBSDB.CTCF\_predicted\_human, 7  
hg38.CTCFBSDB\_PWM, 7  
hg38.HOCOMOCov11\_core\_HUMAN\_mono\_meme\_format, 8  
hg38.JASPAR2022\_CORE\_vertibrates\_non\_redundant\_v2, 8  
hg38.Jolma2013, 8  
hg38.MA0139.1, 9  
hg38.SCREEN.GRCh38\_CTCF, 9  
hg38.SwissRegulon\_human\_and\_mouse, 9  
  
mm10.CIS\_BP\_2.00\_Homo\_sapiens, 10  
mm10.CTCFBSDB.CTCF\_predicted\_human, 10  
mm10.CTCFBSDB\_PWM, 10  
mm10.HOCOMOCov11\_core\_HUMAN\_mono\_meme\_format, 11  
mm10.JASPAR2022\_CORE\_vertibrates\_non\_redundant\_v2, 11  
mm10.Jolma2013, 11  
mm10.MA0139.1, 12  
mm10.SCREEN.GRCh38\_CTCF, 12  
mm10.SwissRegulon\_human\_and\_mouse, 12  
mm39.CIS\_BP\_2.00\_Homo\_sapiens, 13  
mm39.CTCFBSDB\_PWM, 13  
mm39.HOCOMOCov11\_core\_HUMAN\_mono\_meme\_format, 13  
mm39.JASPAR2022\_CORE\_vertibrates\_non\_redundant\_v2, 14  
mm39.Jolma2013, 14  
mm39.MA0139.1, 14  
mm39.SwissRegulon\_human\_and\_mouse, 15  
mm8.CTCFBSDB.CTCF\_predicted\_human, 15  
mm9.CIS\_BP\_2.00\_Homo\_sapiens, 15  
mm9.CTCFBSDB.CTCF\_predicted\_human, 16  
mm9.CTCFBSDB\_PWM, 16  
mm9.HOCOMOCov11\_core\_HUMAN\_mono\_meme\_format, 16  
mm9.JASPAR2022\_CORE\_vertibrates\_non\_redundant\_v2, 17  
mm9.Jolma2013, 17  
mm9.MA0139.1, 17  
mm9.SwissRegulon\_human\_and\_mouse, 18  
T2T.CIS\_BP\_2.00\_Homo\_sapiens, 1  
T2T.CTCFBSDB\_PWM, 1  
T2T.HOCOMOCov11\_core\_HUMAN\_mono\_meme\_format, 2  
T2T.JASPAR2022\_CORE\_vertibrates\_non\_redundant\_v2, 2  
T2T.Jolma2013, 2  
T2T.MA0139.1, 3  
T2T.SwissRegulon\_human\_and\_mouse, 3